

# OpcDeleteNodeHistoryAtTime

## Members

**Namespace:** Opc.UaFx.Client

**Assemblies:** Opc.UaFx.Advanced.dll, Opc.UaFx.Advanced.dll

The [OpcDeleteNodeHistoryAtTime](#) type exposes the following members.

## Constructors

### OpcDeleteNodeHistoryAtTime(Int32, DateTime)

C#

```
public OpcDeleteNodeHistoryAtTime(int nodeId, DateTime time)
```

#### Parameters

**nodeId** [Int32](#)

**time** [DateTime](#)

#### Exceptions

[ArgumentException](#)

[ArgumentNullException](#)

### OpcDeleteNodeHistoryAtTime(Int32, DateTime[])

C#

```
public OpcDeleteNodeHistoryAtTime(int nodeId, params DateTime[] times)
```

#### Parameters

**nodeId** [Int32](#)

**times** [DateTime\[\]](#)

## Exceptions

[ArgumentException](#)

[ArgumentNullException](#)

# OpcDeleteNodeHistoryAtTime(Int32, IEnumerable<DateTime>)

C#

```
public OpcDeleteNodeHistoryAtTime(int nodeId, IEnumerable<DateTime> times)
```

## Parameters

**nodeId** [Int32](#)

**times** [IEnumerable<DateTime>](#)

## Exceptions

[ArgumentException](#)

[ArgumentNullException](#)

# OpcDeleteNodeHistoryAtTime(Int32, Int32, DateTime)

C#

```
public OpcDeleteNodeHistoryAtTime(int nodeId, int namespaceIndex, DateTime time)
```

## Parameters

**nodeId** [Int32](#)

**namespaceIndex** [Int32](#)

time DateTime

## Exceptions

ArgumentException

ArgumentNullException

# OpcDeleteNodeHistoryAtTime(Int32, Int32, DateTime[])

C#

```
public OpcDeleteNodeHistoryAtTime(int nodeId, int namespaceIndex, params DateTime[] times)
```

## Parameters

nodeId Int32

namespaceIndex Int32

times DateTime[]

## Exceptions

ArgumentException

ArgumentNullException

# OpcDeleteNodeHistoryAtTime(Int32, Int32, IEnumerable<DateTime>)

C#

```
public OpcDeleteNodeHistoryAtTime(int nodeId, int namespaceIndex, IEnumerable<DateTime> times)
```

## Parameters

nodeId Int32

namespaceIndex Int32

times IEnumerable<DateTime>

## Exceptions

ArgumentException

ArgumentNullException

# OpcDeleteNodeHistoryAtTime(OpcNodeId, DateTime)

C#

```
public OpcDeleteNodeHistoryAtTime(OpcNodeId nodeId, DateTime time)
```

## Parameters

nodeId OpcNodeId

time DateTime

## Exceptions

ArgumentException

ArgumentNullException

# OpcDeleteNodeHistoryAtTime(OpcNodeId, DateTime[])

C#

```
public OpcDeleteNodeHistoryAtTime(OpcNodeId nodeId, params DateTime[] times)
```

## Parameters

nodeId [OpcNodeId](#)

times [DateTime\[\]](#)

## Exceptions

[ArgumentException](#)

[ArgumentNullException](#)

# OpcDeleteNodeHistoryAtTime(OpcNodeId, IEnumerable<DateTime>)

## C#

```
public OpcDeleteNodeHistoryAtTime(OpcNodeId nodeId, IEnumerable<DateTime> times)
```

## Parameters

nodeId [OpcNodeId](#)

times [IEnumerable<DateTime>](#)

## Exceptions

[ArgumentException](#)

[ArgumentNullException](#)

# OpcDeleteNodeHistoryAtTime(String, DateTime)

## C#

```
public OpcDeleteNodeHistoryAtTime(string nodeId, DateTime time)
```

## Parameters

nodeId String

time DateTime

## Exceptions

ArgumentException

ArgumentNullException

# OpcDeleteNodeHistoryAtTime(String, DateTime[])

## C#

```
public OpcDeleteNodeHistoryAtTime(string nodeId, params DateTime[] times)
```

## Parameters

nodeId String

times DateTime[]

## Exceptions

ArgumentException

ArgumentNullException

# OpcDeleteNodeHistoryAtTime(String, IEnumerable<DateTime>)

## C#

```
public OpcDeleteNodeHistoryAtTime(string nodeId, IEnumerable<DateTime> times)
```

## Parameters

nodeId String

times IEnumerable<DateTime>

## Exceptions

ArgumentException

ArgumentNullException

# OpcDeleteNodeHistoryAtTime(String, Int32, DateTime)

C#

```
public OpcDeleteNodeHistoryAtTime(string nodeId, int namespaceIndex, DateTime time)
```

## Parameters

nodeId String

namespaceIndex Int32

time DateTime

## Exceptions

ArgumentException

ArgumentNullException

# OpcDeleteNodeHistoryAtTime(String, Int32, DateTime[])

C#

```
public OpcDeleteNodeHistoryAtTime(string nodeId, int namespaceIndex, params DateTime[] times)
```

## Parameters

nodeId String

namespaceIndex Int32

times DateTime[]

## Exceptions

ArgumentException

ArgumentNullException

# OpcDeleteNodeHistoryAtTime(String, Int32, IEnumerable<DateTime>)

## C#

```
public OpcDeleteNodeHistoryAtTime(string nodeId, int namespaceIndex, IEnumerable<DateTime> times)
```

## Parameters

nodeId String

namespaceIndex Int32

times IEnumerable<DateTime>

## Exceptions

ArgumentException

ArgumentNullException



# Table of Contents

|                                                                  |   |
|------------------------------------------------------------------|---|
| <b>Constructors</b>                                              | 1 |
| OpcDeleteNodeHistoryAtTime(Int32, DateTime)                      | 1 |
| OpcDeleteNodeHistoryAtTime(Int32, DateTime[])                    | 1 |
| OpcDeleteNodeHistoryAtTime(Int32, IEnumerable<DateTime>)         | 2 |
| OpcDeleteNodeHistoryAtTime(Int32, Int32, DateTime)               | 2 |
| OpcDeleteNodeHistoryAtTime(Int32, Int32, DateTime[])             | 3 |
| OpcDeleteNodeHistoryAtTime(Int32, Int32, IEnumerable<DateTime>)  | 3 |
| OpcDeleteNodeHistoryAtTime(OpcNodeId, DateTime)                  | 4 |
| OpcDeleteNodeHistoryAtTime(OpcNodeId, DateTime[])                | 4 |
| OpcDeleteNodeHistoryAtTime(OpcNodeId, IEnumerable<DateTime>)     | 5 |
| OpcDeleteNodeHistoryAtTime(String, DateTime)                     | 5 |
| OpcDeleteNodeHistoryAtTime(String, DateTime[])                   | 6 |
| OpcDeleteNodeHistoryAtTime(String, IEnumerable<DateTime>)        | 6 |
| OpcDeleteNodeHistoryAtTime(String, Int32, DateTime)              | 7 |
| OpcDeleteNodeHistoryAtTime(String, Int32, DateTime[])            | 7 |
| OpcDeleteNodeHistoryAtTime(String, Int32, IEnumerable<DateTime>) | 8 |

