

OpcApplication Class

Namespace: Opc.UaFx

Assemblies: Opc.UaFx.Advanced.dll

C#

```
public abstract class OpcApplication : IOpcApplication, IDisposable
```

Inheritance [Object](#) › [OpcApplication](#)

Derived

- [OpcClientApplication`1](#)
- [OpcServerApplication`1](#)
- [OpcServerServiceApplication`1](#)

Implements [IOpcApplication](#), [IDisposable](#)

Constructors

Name	Description
OpcApplication	

Events

Name	Description
Exited	
Exiting	
Started	
Starting	

Properties

Name	Description
Company	
Configuration	
Current	
Name	
ProductCompany	
ProductName	
ProductVersion	
Version	

Methods

Name	Description
AfterRun	
BeforeRun	
Dispose	Releases all resources used by the OpcApplication .
Dispose(Boolean)	Releases the unmanaged resources used by the OpcApplication and optionally releases the managed resources.
Exit	
ExitCore	
LoadConfiguration	
LoadConfiguration(String)	
LoadConfigurationCore(String)	
OnExited(EventArgs)	
OnExiting(EventArgs)	
OnStarted(EventArgs)	
OnStarting(EventArgs)	
Run	
RunCore	

Table of Contents

Constructors	1
Events	1
Properties	1
Methods	2

