

OpcCallMethod Members

Namespace: Opc.UaFx

Assemblies: Opc.UaFx.Advanced.dll, Opc.UaFx.Advanced.dll

The [OpcCallMethod](#) type exposes the following members.

Constructors

OpcCallMethod(OpcNodeId, OpcNodeId)

C#

```
public OpcCallMethod(OpcNodeId objectId, OpcNodeId methodId)
```

Parameters

objectId [OpcNodeId](#)

methodId [OpcNodeId](#)

Exceptions

[ArgumentException](#)

[ArgumentNullException](#)

OpcCallMethod(OpcNodeId, OpcNodeId, IEnumerable<Object>)

C#

```
public OpcCallMethod(OpcNodeId objectId, OpcNodeId methodId, IEnumerable<object> parameters)
```

Parameters

objectId [OpcNodeId](#)

methodId [OpcNodeId](#)

parameters IEnumerable<Object>

Exceptions

ArgumentException

ArgumentNullException

OpcCallMethod(OpcNodeId, OpcNodeId, Object[])

C#

```
public OpcCallMethod(OpcNodeId objectId, OpcNodeId methodId, params object[] parameters)
```

Parameters

objectId OpcNodeId

methodId OpcNodeId

parameters Object[]

Exceptions

ArgumentException

ArgumentNullException

Properties

MethodId

C#

```
public OpcNodeId MethodId { get; }
```

Property Value

OpcNodeId

ObjectId

C#

```
public OpcNodeId ObjectId { get; }
```

Property Value

OpcNodeId

Parameters

C#

```
public IEnumerable<object> Parameters { get; }
```

Property Value

IEnumerable<Object>

Table of Contents

Constructors	1
OpcCallMethod(OpcNodeId, OpcNodeId)	1
OpcCallMethod(OpcNodeId, OpcNodeId, IEnumerable<Object>)	1
OpcCallMethod(OpcNodeId, OpcNodeId, Object[])	2
Properties	2
MethodId	2
ObjectId	3
Parameters	3