

OpcDeleteNodeHistoryAtTimeDetails

Members

Namespace: Opc.UaFx

Assemblies: Opc.UaFx.Advanced.dll, Opc.UaFx.Advanced.dll

The [OpcDeleteNodeHistoryAtTimeDetails](#) type exposes the following members.

Constructors

OpcDeleteNodeHistoryAtTimeDetails(OpcNodeId, DateTime)

C#

```
public OpcDeleteNodeHistoryAtTimeDetails(OpcNodeId nodeId, DateTime time)
```

Parameters

nodeId [OpcNodeId](#)

time [DateTime](#)

Exceptions

[ArgumentNullException](#)

OpcDeleteNodeHistoryAtTimeDetails(OpcNodeId, DateTime[])

C#

```
public OpcDeleteNodeHistoryAtTimeDetails(OpcNodeId nodeId, params DateTime[] times)
```

Parameters

nodeId [OpcNodeId](#)

times [DateTime\[\]](#)

Exceptions

[ArgumentNullException](#)

OpcDeleteNodeHistoryAtTimeDetails(OpcNodeId, IEnumerable<DateTime>)

C#

```
public OpcDeleteNodeHistoryAtTimeDetails(OpcNodeId nodeId, IEnumerable<DateTime> times)
```

Parameters

nodeId [OpcNodeId](#)

times [IEnumerable<DateTime>](#)

Exceptions

[ArgumentNullException](#)

Properties

EndTime

C#

```
public DateTime EndTime { get; }
```

Property Value

[DateTime](#)

StartTime

C#

```
public DateTime StartTime { get; }
```

Property Value

[DateTime](#)

Times

C#

```
public IEnumerable<DateTime> Times { get; }
```

Property Value

[IEnumerable<DateTime>](#)

Table of Contents

Constructors	1
OpcDeleteNodeHistoryAtTimeDetails(OpcNodeId, DateTime)	1
OpcDeleteNodeHistoryAtTimeDetails(OpcNodeId, DateTime[])	1
OpcDeleteNodeHistoryAtTimeDetails(OpcNodeId, IEnumerable<DateTime>)	2
Properties	2
EndTime	2
StartTime	2
Times	3