OpcEndpointDescription Members

Namespace: Opc.UaFx
Assemblies: Opc.UaFx.Advanced.dll, Opc.UaFx.Advanced.dll
The OpcEndpointDescription type exposes the following members.

Properties

Policy

C#

```
public OpcSecurityPolicy Policy { get; }
```

Property Value

OpcSecurityPolicy

ProxyUrl

C#

```
public Uri ProxyUrl { get; }
```

Property Value

Uri

Server

C#

```
public OpcApplicationDescription Server { get; }
```

Property Value

OpcApplicationDescription

ServerCertificate

C#

```
public X509Certificate2 ServerCertificate { get; }
```

Property Value

Cryptography.X509Certificates.X509Certificate2

TransportProfileUri

C#

```
public Uri TransportProfileUri { get; }
```

Property Value

Uri

Url

C#

```
public Uri Url { get; }
```

Property Value

Uri

Methods

Dispose()

Releases all resources used by the OpcEndpointDescription.

C#

```
public void Dispose()
```

Dispose(Boolean)

Releases the unmanaged resources used by the OpcEndpointDescription and optionally releases the managed resources.

C#

```
protected virtual void Dispose(bool disposing)
```

Parameters

`disposing` Boolean

The value true to release both managed and unmanaged resources; otherwise the value false to release only unmanaged resources.

Table of Contents

Properties 1
Policy 1
ProxyUrl 1
Server 1
ServerCertificate 1
TransportProfileUri 2
Url 2
Methods 2
Dispose() 2
Dispose(Boolean) 2