

# OpcEndpointIdentity Members

**Namespace:** Opc.UaFx

**Assemblies:** Opc.UaFx.Advanced.dll, Opc.UaFx.Advanced.dll

The [OpcEndpointIdentity](#) type exposes the following members.

## Constructors

### OpcEndpointIdentity(String, OpcSecurityPolicy)

**C#**

```
public OpcEndpointIdentity(string url, OpcSecurityPolicy policy)
```

#### Parameters

**url** String

**policy** OpcSecurityPolicy

#### Exceptions

ArgumentException

ArgumentNullException

FormatException

### OpcEndpointIdentity(Uri, OpcSecurityPolicy)

**C#**

```
public OpcEndpointIdentity(Uri url, OpcSecurityPolicy policy)
```

#### Parameters

**url** Uri

**policy** OpcSecurityPolicy

## Exceptions

[ArgumentNullException](#)

# Properties

## Policy

C#

```
public OpcSecurityPolicy Policy { get; }
```

## Property Value

[OpcSecurityPolicy](#)

## Url

C#

```
public Uri Url { get; }
```

## Property Value

[Uri](#)

# Methods

## GetCurrent()

C#

```
public static OpcEndpointIdentity GetCurrent()
```

## Returns

[OpcEndpointIdentity](#)

## ToString()

C#

```
public override string ToString()
```

## Returns

[String](#)



# Table of Contents

|                                                |   |
|------------------------------------------------|---|
| <b>Constructors</b>                            | 1 |
| OpcEndpointIdentity(String, OpcSecurityPolicy) | 1 |
| OpcEndpointIdentity(Uri, OpcSecurityPolicy)    | 1 |
| <b>Properties</b>                              | 2 |
| Policy                                         | 2 |
| Url                                            | 2 |
| <b>Methods</b>                                 | 2 |
| GetCurrent()                                   | 2 |
| ToString()                                     | 2 |