

# OpcFileCloseMethodNode Members

**Namespace:** Opc.UaFx

**Assemblies:** Opc.UaFx.Advanced.dll, Opc.UaFx.Advanced.dll

The [OpcFileCloseMethodNode](#) type exposes the following members.

## Constructors

### OpcFileCloseMethodNode(IOpcNode, OpcName, OpcFileCloseMethodNode.FileCloseCallback)

Initializes a new instance of the [OpcFileCloseMethodNode](#) class accessible by the **name** specified with the [FileCloseCallback](#) call given by **callback** as a child node of the **parent** node given.

**C#**

```
public OpcFileCloseMethodNode(IOpcNode parent, OpcName name,
OpcFileCloseMethodNode.FileCloseCallback callback)
```

#### Parameters

**parent** [IOpcNode](#)

The [IOpcNode](#) used as the parent node or a null reference (Nothing in Visual Basic) in the case there is no parent node available.

**name** [OpcName](#)

The [OpcName](#) through that the new file close method node can be accessed.

**callback** [FileCloseCallback](#)

The [FileCloseCallback](#) to call on method invocation of the new file close method node.

### OpcFileCloseMethodNode(IOpcNode, OpcName, OpcFileCloseMethodNode.FileCloseExCallback)

Initializes a new instance of the [OpcFileCloseMethodNode](#) class accessible by the **name** specified with the [FileCloseExCallback](#) call given by **callback** as a child node of the **parent** node given.

**C#**

```
public OpcFileCloseMethodNode(IOpcNode parent, OpcName name,
OpcFileCloseMethodNode.FileCloseExCallback callback)
```

#### Parameters

**parent** [IOpcNode](#)

The [IOpcNode](#) used as the parent node or a null reference (Nothing in Visual Basic) in the case there is no

parent node available.

**name** OpcName

The OpcName through that the new file close method node can be accessed.

**callback** FileCloseExCallback

The FileCloseExCallback to call on method invocation of the new file close method node.

## OpcFileCloseMethodNode(IOpcNode, OpcName, OpcNodeId, OpcFileCloseMethodNode.FileCloseCallback)

Initializes a new instance of the OpcFileCloseMethodNode class accessible by the **name** and **id** specified with the delegate to call defined by **callback** as a child node of the **parent** node given.

**C#**

```
public OpcFileCloseMethodNode(IOpcNode parent, OpcName name, OpcNodeId id,
OpcFileCloseMethodNode.FileCloseCallback callback)
```

### Parameters

**parent** IOpcNode

The IOpcNode used as the parent node or a null reference (Nothing in Visual Basic) in the case there is no parent node available.

**name** OpcName

The OpcName through that the new file close method node can be accessed.

**id** OpcNodeId

The OpcNodeId through that the new file close method node can be identified and accessed.

**callback** FileCloseCallback

The FileCloseCallback to call on method invocation of the new file close method node.

## OpcFileCloseMethodNode(IOpcNode, OpcName, OpcNodeId, OpcFileCloseMethodNode.FileCloseExCallback)

Initializes a new instance of the OpcFileCloseMethodNode class accessible by the **name** and **id** specified with the delegate to call defined by **callback** as a child node of the **parent** node given.

**C#**

```
public OpcFileCloseMethodNode(IOpcNode parent, OpcName name, OpcNodeId id,
OpcFileCloseMethodNode.FileCloseExCallback callback)
```

### Parameters

**parent** [IOpcNode](#)

The [IOpcNode](#) used as the parent node or a null reference (Nothing in Visual Basic) in the case there is no parent node available.

**name** [OpcName](#)

The [OpcName](#) through that the new file close method node can be accessed.

**id** [OpcNodeId](#)

The [OpcNodeId](#) through that the new file close method node can be identified and accessed.

**callback** [FileCloseExCallback](#)

The [FileCloseExCallback](#) to call on method invocation of the new file close method node.

## OpcFileCloseMethodNode(OpcFileCloseMethodNode.FileCloseCallback)

Initializes a new instance of the [OpcFileCloseMethodNode](#) class with the [FileCloseCallback](#) call given by **callback**.

**C#**

```
public OpcFileCloseMethodNode(OpcFileCloseMethodNode.FileCloseCallback callback)
```

### Parameters

**callback** [FileCloseCallback](#)

The [FileCloseCallback](#) to call on method invocation of the new file close method node.

## OpcFileCloseMethodNode(OpcFileCloseMethodNode.FileCloseExCallback)

Initializes a new instance of the [OpcFileCloseMethodNode](#) class with the [FileCloseExCallback](#) call given by **callback**.

**C#**

```
public OpcFileCloseMethodNode(OpcFileCloseMethodNode.FileCloseExCallback callback)
```

### Parameters

**callback** [FileCloseExCallback](#)

The [FileCloseExCallback](#) to call on method invocation of the new file close method node.

## OpcFileCloseMethodNode(OpcName,

## OpcFileCloseMethodNode.FileCloseCallback)

Initializes a new instance of the [OpcFileCloseMethodNode](#) class accessible by the **name** specified with the [FileCloseCallback](#) call given by **callback**.

**C#**

```
public OpcFileCloseMethodNode(OpcName name, OpcFileCloseMethodNode.FileCloseCallback
callback)
```

### Parameters

**name** [OpcName](#)

The [OpcName](#) through that the new file close method node can be accessed.

**callback** [FileCloseCallback](#)

The [FileCloseCallback](#) to call on method invocation of the new file close method node.

## OpcFileCloseMethodNode(OpcName, OpcFileCloseMethodNode.FileCloseExCallback)

Initializes a new instance of the [OpcFileCloseMethodNode](#) class accessible by the **name** specified with the [FileCloseExCallback](#) call given by **callback**.

**C#**

```
public OpcFileCloseMethodNode(OpcName name, OpcFileCloseMethodNode.FileCloseExCallback
callback)
```

### Parameters

**name** [OpcName](#)

The [OpcName](#) through that the new file close method node can be accessed.

**callback** [FileCloseExCallback](#)

The [FileCloseExCallback](#) to call on method invocation of the new file close method node.

## OpcFileCloseMethodNode(OpcName, OpcNodeId, OpcFileCloseMethodNode.FileCloseCallback)

Initializes a new instance of the [OpcFileCloseMethodNode](#) class accessible by the **name** and **id** specified with the delegate to call given by **callback**.

**C#**

```
public OpcFileCloseMethodNode(OpcName name, OpcNodeId id,
OpcFileCloseMethodNode.FileCloseCallback callback)
```

## Parameters

**name** [OpcName](#)

The [OpcName](#) through that the new file close method node can be accessed.

**id** [OpcNodeId](#)

The [OpcNodeId](#) through that the new file close method node can be identified and accessed.

**callback** [FileCloseCallback](#)

The [FileCloseCallback](#) to call on method invocation of the new file close method node.

# OpcFileCloseMethodNode(OpcName, OpcNodeId, OpcFileCloseMethodNode.FileCloseExCallback)

Initializes a new instance of the [OpcFileCloseMethodNode](#) class accessible by the **name** and **id** specified with the delegate to call given by **callback**.

## C#

```
public OpcFileCloseMethodNode(OpcName name, OpcNodeId id,
OpcFileCloseMethodNode.FileCloseExCallback callback)
```

## Parameters

**name** [OpcName](#)

The [OpcName](#) through that the new file close method node can be accessed.

**id** [OpcNodeId](#)

The [OpcNodeId](#) through that the new file close method node can be identified and accessed.

**callback** [FileCloseExCallback](#)

The [FileCloseExCallback](#) to call on method invocation of the new file close method node.

# Properties

## DefaultTypeDefinitionId

Gets the default identifier which identifies the node that defines the underlying node type from that this [OpcInstanceNode](#) has been created.

## C#

```
protected override OpcNodeId DefaultTypeDefinitionId { get; }
```

## Property Value

[OpcNodeId](#)

The [OpcNodeId](#) of the type node from that this [OpcInstanceNode](#) has been created from. These type node defines the typical structure of an instance node of its type definition. If there exists no specific type definition node a null reference (Nothing in Visual Basic).

# Table of Contents

<b>Constructors</b>	1
OpcFileCloseMethodNode(IOpcNode, OpcName, OpcFileCloseMethodNode.FileCloseCallback)	1
OpcFileCloseMethodNode(IOpcNode, OpcName, OpcFileCloseMethodNode.FileCloseExCallback)	1
OpcFileCloseMethodNode(IOpcNode, OpcName, OpcNodeId, OpcFileCloseMethodNode.FileCloseCallback)	2
OpcFileCloseMethodNode(IOpcNode, OpcName, OpcNodeId, OpcFileCloseMethodNode.FileCloseExCallback)	2
OpcFileCloseMethodNode(OpcFileCloseMethodNode.FileCloseCallback)	3
OpcFileCloseMethodNode(OpcFileCloseMethodNode.FileCloseExCallback)	3
OpcFileCloseMethodNode(OpcName, OpcFileCloseMethodNode.FileCloseCallback)	3
OpcFileCloseMethodNode(OpcName, OpcFileCloseMethodNode.FileCloseExCallback)	4
OpcFileCloseMethodNode(OpcName, OpcNodeId, OpcFileCloseMethodNode.FileCloseCallback)	4
OpcFileCloseMethodNode(OpcName, OpcNodeId, OpcFileCloseMethodNode.FileCloseExCallback)	5
<b>Properties</b>	5
DefaultTypeDefinitionId	5

