

# OpcFileNode Class

**Namespace:** Opc.UaFx

**Assemblies:** Opc.UaFx.Advanced.dll

Defines a file node.

**C#**

```
public class OpcFileNode : OpcObjectNode, IOpcNode, IOpcNodeInfo
```

**Inheritance** [Object](#) > [OpcNode](#) > [OpcInstanceNode](#) > [OpcObjectNode](#) > [OpcFileNode](#)

**Implements** [IOpcNode](#), [IOpcNodeInfo](#)

## Remarks

The file node uses the type definition [FileType](#).

## Constructors

Name	Description
<a href="#">OpcFileNode</a> ( <a href="#">IOpcNode</a> , <a href="#">OpcName</a> , <a href="#">FileInfo</a> )	Initializes a new instance of the <a href="#">OpcFileNode</a> class accessible by the <b>name</b> specified with the file to represent defined by <b>fileInfo</b> as a child node of the <b>parent</b> node given.
<a href="#">OpcFileNode</a> ( <a href="#">IOpcNode</a> , <a href="#">OpcName</a> , <a href="#">IOpcFileInfo</a> )	Initializes a new instance of the <a href="#">OpcFileNode</a> class accessible by the <b>name</b> specified with the file to represent defined by <b>fileInfo</b> as a child node of the <b>parent</b> node given.
<a href="#">OpcFileNode</a> ( <a href="#">IOpcNode</a> , <a href="#">OpcName</a> , <a href="#">OpcNodeId</a> , <a href="#">FileInfo</a> )	Initializes a new instance of the <a href="#">OpcFileNode</a> class accessible by the <b>name</b> and <b>id</b> specified with the file information defined by <b>fileInfo</b> as a child node of the <b>parent</b> node given.
<a href="#">OpcFileNode</a> ( <a href="#">IOpcNode</a> , <a href="#">OpcName</a> , <a href="#">OpcNodeId</a> , <a href="#">IOpcFileInfo</a> )	Initializes a new instance of the <a href="#">OpcFileNode</a> class accessible by the <b>name</b> and <b>id</b> specified with the file information defined by <b>fileInfo</b> as a child node of the <b>parent</b> node given.
<a href="#">OpcFileNode</a> ( <a href="#">IOpcNode</a> , <a href="#">OpcName</a> , <a href="#">OpcNodeId</a> , <a href="#">String</a> )	Initializes a new instance of the <a href="#">OpcFileNode</a> class accessible by the <b>name</b> and <b>id</b> specified with the file information defined by <b>filePath</b> as a child node of the <b>parent</b> node given.
<a href="#">OpcFileNode</a> ( <a href="#">IOpcNode</a> , <a href="#">OpcName</a> , <a href="#">String</a> )	Initializes a new instance of the <a href="#">OpcFileNode</a> class accessible by the <b>name</b> specified with the file to represent defined by <b>filePath</b> as a child node of the <b>parent</b> node given.
<a href="#">OpcFileNode</a> ( <a href="#">OpcName</a> , <a href="#">FileInfo</a> )	Initializes a new instance of the <a href="#">OpcFileNode</a> class accessible by the <b>name</b> specified with the file to represent given by <b>fileInfo</b> .
<a href="#">OpcFileNode</a> ( <a href="#">OpcName</a> , <a href="#">IOpcFileInfo</a> )	Initializes a new instance of the <a href="#">OpcFileNode</a> class accessible by the <b>name</b> specified with the file to represent given by <b>fileInfo</b> .
<a href="#">OpcFileNode</a> ( <a href="#">OpcName</a> , <a href="#">OpcNodeId</a> , <a href="#">FileInfo</a> )	Initializes a new instance of the <a href="#">OpcFileNode</a> class accessible by the <b>name</b> and <b>id</b> specified with the file to represent given by <b>fileInfo</b> .
<a href="#">OpcFileNode</a> ( <a href="#">OpcName</a> , <a href="#">OpcNodeId</a> , <a href="#">IOpcFileInfo</a> )	Initializes a new instance of the <a href="#">OpcFileNode</a> class accessible by the <b>name</b> and <b>id</b> specified with the file to represent given by <b>fileInfo</b> .

Name	Description
<a href="#">OpcFileNode(OpcName, OpcNodeId, String)</a>	Initializes a new instance of the <a href="#">OpcFileNode</a> class accessible by the <b>name</b> and <b>id</b> specified with the file to represent given by <b>filePath</b> .
<a href="#">OpcFileNode(OpcName, String)</a>	Initializes a new instance of the <a href="#">OpcFileNode</a> class accessible by the <b>name</b> specified with the file to represent given by <b>filePath</b> .

## Events

Name	Description
<a href="#">AfterApplyChanges</a>	Occurs after one or more changes on the node has been notified. (Inherited from <a href="#">OpcNode</a> )
<a href="#">BeforeApplyChanges</a>	Occurs before one or more changes on the node are notified. (Inherited from <a href="#">OpcNode</a> )

## Properties

Name	Description
<a href="#">CanUserWrite</a>	Gets or sets a value indicating whether by default a user can access the file represented for writing taking user access rights into account.
<a href="#">CanUserWriteNode</a>	Gets the <a href="#">OpcPropertyNode`1</a> of the <a href="#">CanUserWrite</a> property.
<a href="#">CanWrite</a>	Gets or sets a value indicating whether the file is writable. It does not take any user access rights into account, i.e. although the file is writable this may be restricted to a certain user / user group.
<a href="#">CanWriteNode</a>	Gets the <a href="#">OpcPropertyNode`1</a> of the <a href="#">CanWrite</a> property.
<a href="#">Category</a>	Gets the <a href="#">NodeCategoryOpcAttribute</a> which identifies the kind of node and is therefore used to classify the node regarding its use and purpose. (Inherited from <a href="#">OpcNode</a> )
<a href="#">CloseNode</a>	Gets the <a href="#">OpcFileCloseMethodNode</a> used to handle 'Close' method calls to close the file represented.
<a href="#">DefaultReferenceTypeId</a>	Gets the default identifier which identifies the type that defines the underlying node reference within this <a href="#">OpcInstanceNode</a> is referenced by its parent node. (Inherited from <a href="#">OpcInstanceNode</a> )
<a href="#">DefaultReferenceTypeId</a>	Gets the default identifier which identifies the type that defines the underlying node reference within this <a href="#">OpcInstanceNode</a> is referenced by its parent node. (Inherited from <a href="#">OpcObjectNode</a> )
<a href="#">DefaultTypeDefinitionId</a>	Gets the default identifier which identifies the node that defines the underlying node type from that this <a href="#">OpcInstanceNode</a> has been created.
<a href="#">DefaultTypeDefinitionId</a>	Gets the default identifier which identifies the node that defines the underlying node type from that this <a href="#">OpcInstanceNode</a> has been created. (Inherited from <a href="#">OpcInstanceNode</a> )
<a href="#">DefaultTypeDefinitionId</a>	Gets the default identifier which identifies the node that defines the underlying node type from that this <a href="#">OpcInstanceNode</a> has been created. (Inherited from <a href="#">OpcObjectNode</a> )
<a href="#">Description</a>	Gets or sets the value of the optional <a href="#">DescriptionOpcAttribute</a> which shall explain the meaning of the node. (Inherited from <a href="#">OpcNode</a> )

Name	Description
Descriptions	Gets the <a href="#">OpcNodeGlobalization</a> instance used to control the localization and other globalization related tasks for the <a href="#">Description</a> attribute of the current node. (Inherited from <a href="#">OpcNode</a> )
DisplayName	Gets or sets the value of the <a href="#">DisplayNameOpcAttribute</a> which defines the localizable name of the node. (Inherited from <a href="#">OpcNode</a> )
DisplayNames	Gets the <a href="#">OpcNodeGlobalization</a> instance used to control the localization and other globalization related tasks for the <a href="#">DisplayName</a> attribute of the current node. (Inherited from <a href="#">OpcNode</a> )
File	Gets the <a href="#">IOpcFileInfo</a> used to access the file represented.
FileInfo	Gets the <a href="#">FileInfo</a> of the file represented.
GetPositionNode	Gets the <a href="#">OpcFileGetPositionMethodNode</a> used to handle 'GetPosition' method calls to query the position in the file represented.
HasPendingChanges	Gets a value indicating whether there exists any pending change on the node. (Inherited from <a href="#">OpcNode</a> )
Id	Gets the value of the <a href="#">NodeldOpcAttribute</a> which unambiguously identifies the node. (Inherited from <a href="#">OpcNode</a> )
MimeType	Gets the media type of the file.
MimeTypeNode	Gets the <a href="#">OpcPropertyNode`1</a> of the <a href="#">MimeType</a> property.
ModellingRuleId	Gets or sets the identifier which defines how the <a href="#">OpcInstanceNode</a> is used for instantiation. (Inherited from <a href="#">OpcInstanceNode</a> )
Name	Gets or sets the value of the <a href="#">BrowseNameOpcAttribute</a> which defines the non-localizable human-readable name used when browsing the address space. (Inherited from <a href="#">OpcNode</a> )
Namespace	(Inherited from <a href="#">OpcNode</a> )
OpenCount	Gets the number of currently valid file handles on the file.
OpenCountNode	Gets the <a href="#">OpcPropertyNode`1</a> of the <a href="#">OpenCount</a> property.
OpenNode	Gets the <a href="#">OpcFileOpenMethodNode</a> used to handle 'Open' method calls to open the file represented.
Parent	Gets the parent node of the node. (Inherited from <a href="#">OpcNode</a> )
Parent	Gets the parent node of the node. (Inherited from <a href="#">OpcInstanceNode</a> )
PendingChanges	Gets a value indicating the most recent changes performed on the node since their last notification. (Inherited from <a href="#">OpcNode</a> )
QueryEventsCallback	Gets or sets a callback used to query any event information which belongs to the node. (Inherited from <a href="#">OpcNode</a> )
ReadDescriptionCallback	(Inherited from <a href="#">OpcNode</a> )
ReadDisplayNameCallback	(Inherited from <a href="#">OpcNode</a> )
ReadNode	Gets the <a href="#">OpcFileReadMethodNode</a> used to handle 'Read' method calls to read data from the file represented.
ReadUserWriteAccessCallback	(Inherited from <a href="#">OpcNode</a> )
ReadWriteAccessCallback	(Inherited from <a href="#">OpcNode</a> )

Name	Description
ReferenceType	Gets a value which defines a pre-defined used <a href="#">ReferenceTypeId</a> as one of the members defined by the <a href="#">OpcReferenceType</a> enumeration to simplify querying standard reference types. (Inherited from <a href="#">OpcInstanceNode</a> )
ReferenceTypeId	Gets or sets the identifier which identifies the node that defines the semantic of the reference between a source and a target node and generally reflects an operation between the two, such as "A contains B". (Inherited from <a href="#">OpcInstanceNode</a> )
SetPositionNode	Gets the <a href="#">OpcFileSetPositionMethodNode</a> used to handle 'SetPosition' method calls to update the position in the file represented.
Size	Gets the size of the file in bytes.
SizeNode	Gets the <a href="#">OpcPropertyNode`1</a> of the <a href="#">Size</a> property.
SymbolicName	(Inherited from <a href="#">OpcNode</a> )
Tag	Gets or sets the object that contains additional user data about the node. (Inherited from <a href="#">OpcNode</a> )
TypeDefinitionId	Gets or sets the identifier which identifies the node that defines the underlying node type from that this <a href="#">OpcInstanceNode</a> has been created. (Inherited from <a href="#">OpcInstanceNode</a> )
UserWriteAccess	Gets or sets the value of the optional <a href="#">UserWriteAccessOpcAttribute</a> which exposes the possibilities of a client to write the attributes of the node taking user access rights into account. (Inherited from <a href="#">OpcNode</a> )
WriteAccess	Gets or sets the value of the optional <a href="#">WriteAccessOpcAttribute</a> which exposes the possibilities of a client to write the attributes of the node. (Inherited from <a href="#">OpcNode</a> )
WriteDescriptionCallback	(Inherited from <a href="#">OpcNode</a> )
WriteDisplayNameCallback	(Inherited from <a href="#">OpcNode</a> )
WriteNode	Gets the <a href="#">OpcFileWriteMethodNode</a> used to handle 'Write' method calls to write data to the file represented.
WriteUserWriteAccessCallback	(Inherited from <a href="#">OpcNode</a> )
WriteWriteAccessCallback	(Inherited from <a href="#">OpcNode</a> )

## Methods

Name	Description
<a href="#">AddChild(OpcContext, OpcInstanceNode)</a>	(Inherited from <a href="#">OpcInstanceNode</a> )
<a href="#">AddNotifier(OpcContext, IOpcNode)</a>	(Inherited from <a href="#">OpcNode</a> )
<a href="#">AddNotifier(OpcContext, IOpcNode)</a>	(Inherited from <a href="#">OpcObjectNode</a> )
<a href="#">ApplyChanges(OpcContext)</a>	Notifies about changes performed on the node since the last notification and resets the pending changes to <a href="#">None</a> . (Inherited from <a href="#">OpcNode</a> )
<a href="#">ApplyChanges(OpcContext, Boolean)</a>	Notifies about changes performed on the node (and optionally on its children) since the last notification and resets the pending changes to <a href="#">None</a> . (Inherited from <a href="#">OpcNode</a> )
<a href="#">AttributeValue(OpcAttribute)</a>	Retrieves the value of the <a href="#">attribute</a> specified. (Inherited from <a href="#">OpcNode</a> )

Name	Description
AttributeValue`1(OpcAttribute)	Retrieves the value of the <b>attribute</b> specified. (Inherited from <a href="#">OpcNode</a> )
Child(OpcContext, OpcName)	Retrieves the child node its <b>Name</b> property matches exactly the <b>name</b> specified. (Inherited from <a href="#">OpcNode</a> )
Children(OpcContext)	Retrieves a sequence of all nodes organized as children of this node. (Inherited from <a href="#">OpcNode</a> )
InitializeDefaults	Initializes the default values used by the <a href="#">OpcFileNode</a> .
InitializeDefaults	Initializes the default values used by the node implementation represented / required. (Inherited from <a href="#">OpcNode</a> )
InitializeDefaults	Initializes the default values used by the <a href="#">OpcInstanceNode</a> . (Inherited from <a href="#">OpcInstanceNode</a> )
IsChangePending(OpcNodeChanges)	(Inherited from <a href="#">OpcNode</a> )
OnAfterApplyChanges(OpcNodeChangesEventArgs)	Raises the <a href="#">AfterApplyChanges</a> event using the event data specified. (Inherited from <a href="#">OpcNode</a> )
OnBeforeApplyChanges(OpcNodeChangesEventArgs)	Raises the <a href="#">BeforeApplyChanges</a> event using the event data specified. (Inherited from <a href="#">OpcNode</a> )
QueryEventsCore(OpcNodeContext, OpcEventCollection)	(Inherited from <a href="#">OpcNode</a> )
ReadAttributeValueCore`1(OpcReadAttributeValueContext, OpcAttributeValue)	(Inherited from <a href="#">OpcNode</a> )
ReadCanUserWrite(OpcReadPropertyValueContext, OpcPropertyValue)	Reads the value of the <a href="#">CanUserWrite</a> property.
ReadCanWrite(OpcReadPropertyValueContext, OpcPropertyValue)	Reads the value of the <a href="#">CanWrite</a> property.
RemoveChild(OpcContext, OpcInstanceNode)	(Inherited from <a href="#">OpcInstanceNode</a> )
RemoveNotifier(OpcContext, IOpcNode)	(Inherited from <a href="#">OpcNode</a> )
RemoveNotifier(OpcContext, IOpcNode)	(Inherited from <a href="#">OpcInstanceNode</a> )
RemoveNotifier(OpcContext, IOpcNode)	(Inherited from <a href="#">OpcObjectNode</a> )
ReportEvent(OpcContext, OpcEvent)	(Inherited from <a href="#">OpcNode</a> )
UpdateChanges(OpcContext, OpcNodeChanges)	Notifies about the <b>changes</b> on behalf of the node and removes pending changes which intersect with the <b>changes</b> specified. (Inherited from <a href="#">OpcNode</a> )
UpdateChanges(OpcContext, OpcNodeChanges, Boolean)	Notifies about the <b>changes</b> on behalf of the node (and optionally on its children) and removes pending changes which intersect with the <b>changes</b> specified. (Inherited from <a href="#">OpcNode</a> )
WriteAttributeValueCore`1(OpcWriteAttributeValueContext, OpcAttributeValue)	(Inherited from <a href="#">OpcNode</a> )



# Table of Contents

Remarks .....	1
<b>Constructors</b> .....	1
<b>Events</b> .....	2
<b>Properties</b> .....	2
<b>Methods</b> .....	4