

# OpcNodeReferenceSource Class

**Namespace:** Opc.UaFx

**Assemblies:** Opc.UaFx.Advanced.dll

Provides a set of methods to construct [OpcNodeReference](#) instances using different source node information.

C#

```
public class OpcNodeReferenceSource
```

**Inheritance** Object > OpcNodeReferenceSource

## Constructors

Name	Description
<a href="#">OpcNodeReferenceSource(IOPcNode)</a>	Initializes a new instance of the <a href="#">OpcNodeReferenceSource</a> class using the <a href="#">node</a> specified from which the references constructed originate from.
<a href="#">OpcNodeReferenceSource(OpcNodeid)</a>	Initializes a new instance of the <a href="#">OpcNodeReferenceSource</a> class using the <a href="#">nodeId</a> to identify the node from which the references constructed originate from.

## Properties

Name	Description
<a href="#">Node</a>	Gets the node from which the references constructed originate from.
<a href="#">Nodeld</a>	Gets the identifier of the node from which the references constructed originate from.

## Methods

Name	Description
<a href="#">To(IEnumerable)</a>	Provides a node / references bundle in a new instance of the <a href="#">OpcNodeReference</a> class using the source node information of this <a href="#">OpcNodeReferenceSource</a> and the <a href="#">references</a> specified.
<a href="#">To(IOPcNode)</a>	Provides a set of node / reference bundles in a new instance of the <a href="#">OpcNodeReferenceSet</a> class using the source node information of this <a href="#">OpcNodeReferenceSource</a> and the <a href="#">targetNode</a> as the target of the references. The references created represent a <a href="#">ParentToChild</a> and <a href="#">ChildToParent</a> relation using <a href="#">Organizes</a> as the type of reference.
<a href="#">To(IOPcNode, OpcNodeid)</a>	Provides a set of node / reference bundles in a new instance of the <a href="#">OpcNodeReferenceSet</a> class using the source node information of this <a href="#">OpcNodeReferenceSource</a> and the <a href="#">targetNode</a> as the target of the reference. The references created represent a <a href="#">ParentToChild</a> and <a href="#">ChildToParent</a> relation using the type of reference identified by the <a href="#">referenceTypeId</a> specified.

Name	Description
To(IOPcNode, OpcReferenceType)	Provides a set of node / reference bundles in a new instance of the <a href="#">OpcNodeReferenceSet</a> class using the source node information of this <a href="#">OpcNodeReferenceSource</a> and the <a href="#">targetNode</a> as the target of the reference. The references created represent a <a href="#">ParentToChild</a> and <a href="#">ChildToParent</a> relation using the <a href="#">referenceType</a> as the type of reference.
To(OpcNodeId)	Provides a set of node / reference bundles in a new instance of the <a href="#">OpcNodeReferenceSet</a> class using the source node information of this <a href="#">OpcNodeReferenceSource</a> and the <a href="#">targetNodeId</a> as the identifier of the target of the references. The references created represent a <a href="#">ParentToChild</a> and <a href="#">ChildToParent</a> relation using <a href="#">Organizes</a> as the type of reference.
To(OpcNodeId, OpcNodeld)	Provides a set of node / reference bundles in a new instance of the <a href="#">OpcNodeReferenceSet</a> class using the source node information of this <a href="#">OpcNodeReferenceSource</a> and the <a href="#">targetNodeId</a> as the identifier of the target of the reference. The references created represent a <a href="#">ParentToChild</a> and <a href="#">ChildToParent</a> relation using the type of reference identified by the <a href="#">referenceTypeId</a> specified.
To(OpcNodeld, OpcReferenceType)	Provides a set of node / reference bundles in a new instance of the <a href="#">OpcNodeReferenceSet</a> class using the source node information of this <a href="#">OpcNodeReferenceSource</a> and the <a href="#">targetNodeId</a> as the identifier of the target of the reference. The references created represent a <a href="#">ParentToChild</a> and <a href="#">ChildToParent</a> relation using the <a href="#">referenceType</a> as the type of reference.
To(OpcReference)	Provides a node / references bundle in a new instance of the <a href="#">OpcNodeReference</a> class using the source node information of this <a href="#">OpcNodeReferenceSource</a> and the <a href="#">references</a> specified.
ToChild(IOPcNode)	Provides a node / reference bundle in a new instance of the <a href="#">OpcNodeReference</a> class using the source node information of this <a href="#">OpcNodeReferenceSource</a> and the <a href="#">targetNode</a> as the target of the reference. The reference created represents a <a href="#">ParentToChild</a> relation using <a href="#">Organizes</a> as the type of reference.
ToChild(IOPcNode, OpcNodeld)	Provides a node / reference bundle in a new instance of the <a href="#">OpcNodeReference</a> class using the source node information of this <a href="#">OpcNodeReferenceSource</a> and the <a href="#">targetNode</a> as the target of the reference. The reference created represents a <a href="#">ParentToChild</a> relation using the type of reference identified by the <a href="#">referenceTypeId</a> specified.
ToChild(IOPcNode, OpcReferenceType)	Provides a node / reference bundle in a new instance of the <a href="#">OpcNodeReference</a> class using the source node information of this <a href="#">OpcNodeReferenceSource</a> and the <a href="#">targetNode</a> as the target of the reference. The reference created represents a <a href="#">ParentToChild</a> relation using the <a href="#">referenceType</a> as the type of reference.
ToChild(OpcNodeld)	Provides a node / reference bundle in a new instance of the <a href="#">OpcNodeReference</a> class using the source node information of this <a href="#">OpcNodeReferenceSource</a> and the <a href="#">targetNodeId</a> as the identifier of the target of the reference. The reference created represents a <a href="#">ParentToChild</a> relation using <a href="#">Organizes</a> as the type of reference.
ToChild(OpcNodeld, OpcNodeld)	Provides a node / reference bundle in a new instance of the <a href="#">OpcNodeReference</a> class using the source node information of this <a href="#">OpcNodeReferenceSource</a> and the <a href="#">targetNodeId</a> as the identifier of the target of the reference. The reference created represents a <a href="#">ParentToChild</a> relation using the type of reference identified by the <a href="#">referenceTypeId</a> specified.
ToChild(OpcNodeld, OpcReferenceType)	Provides a node / reference bundle in a new instance of the <a href="#">OpcNodeReference</a> class using the source node information of this <a href="#">OpcNodeReferenceSource</a> and the <a href="#">targetNodeId</a> as the identifier of the target of the reference. The reference created represents a <a href="#">ParentToChild</a> relation using the <a href="#">referenceType</a> as the type of reference.

Name	Description
ToParent(IopcNode)	Provides a node / reference bundle in a new instance of the <code>OpcNodeReference</code> class using the source node information of this <code>OpcNodeReferenceSource</code> and the <code>targetNode</code> as the target of the reference. The reference created represents a <code>ChildToParent</code> relation using <code>Organizes</code> as the type of reference.
ToParent(IopcNode, OpcNodeld)	Provides a node / reference bundle in a new instance of the <code>OpcNodeReference</code> class using the source node information of this <code>OpcNodeReferenceSource</code> and the <code>targetNode</code> as the target of the reference. The reference created represents a <code>ChildToParent</code> relation using the type of reference identified by the <code>referenceTypeId</code> specified.
ToParent(IopcNode, OpcReferenceType)	Provides a node / reference bundle in a new instance of the <code>OpcNodeReference</code> class using the source node information of this <code>OpcNodeReferenceSource</code> and the <code>targetNode</code> as the target of the reference. The reference created represents a <code>ChildToParent</code> relation using the <code>referenceType</code> as the type of reference.
ToParent(OpcNodeld)	Provides a node / reference bundle in a new instance of the <code>OpcNodeReference</code> class using the source node information of this <code>OpcNodeReferenceSource</code> and the <code>targetNodeId</code> as the identifier of the target of the reference. The reference created represents a <code>ChildToParent</code> relation using <code>Organizes</code> as the type of reference.
ToParent(OpcNodeld, OpcNodeld)	Provides a node / reference bundle in a new instance of the <code>OpcNodeReference</code> class using the source node information of this <code>OpcNodeReferenceSource</code> and the <code>targetNodeId</code> as the identifier of the target of the reference. The reference created represents a <code>ChildToParent</code> relation using the type of reference identified by the <code>referenceTypeId</code> specified.
ToParent(OpcNodeld, OpcReferenceType)	Provides a node / reference bundle in a new instance of the <code>OpcNodeReference</code> class using the source node information of this <code>OpcNodeReferenceSource</code> and the <code>targetNodeId</code> as the identifier of the target of the reference. The reference created represents a <code>ChildToParent</code> relation using the <code>referenceType</code> as the type of reference.
ToString	Returns a string representing the information contained in the <code>OpcNodeReferenceSource</code> .



# Table of Contents

<b>Constructors</b> .....	1
<b>Properties</b> .....	1
<b>Methods</b> .....	1