OpcPathProbingFailedEventArgs Members

Namespace: Opc.UaFx
Assemblies: Opc.UaFx.Advanced.dll, Opc.UaFx.Advanced.dll
The OpcPathProbingFailedEventArgs type exposes the following members.

Constructors

OpcPathProbingFailedEventArgs(Exception)

Initializes a new instance of the OpcPathProbingFailedEventArgs class using the `exception` specified.

C#

```
public OpcPathProbingFailedEventArgs(Exception exception)
```

Parameters

`exception` Exception

The Exception instance which led to the nonsuccess reported or a null reference (Nothing in Visual Basic) if there is no exceptional information available.

OpcPathProbingFailedEventArgs(Exception, String)

Initializes a new instance of the OpcPathProbingFailedEventArgs class using the `exception` and `message` specified.

C#

```
public OpcPathProbingFailedEventArgs(Exception exception, string message)
```

Parameters

`exception` Exception

The Exception instance which led to the nonsuccess reported or a null reference (Nothing in Visual Basic) if there is no exceptional information available.

`message` String

The additional description about the failure or a null reference (Nothing in Visual Basic) if there is no more information available. In case there the `message` is a null reference (Nothing in Visual Basic) or an empty string the Message is used instead (if specified).

Properties

Exception

Gets the Exception instance which led to the nonsuccess reported.

C#

```
public Exception Exception { get; }
```

Property Value

Exception

The Exception instance of the nonsuccess reported or a null reference (Nothing in Visual Basic) if there is no exceptional information available.

Message

Gets additional information about the failure.

C#

```
public string Message { get; }
```

Property Value

String

Additional information about the failure or a null reference (Nothing in Visual Basic) if there is neither any more information nor an Message available about the failure.

Table of Contents

Constructors 1
OpcPathProbingFailedEventArgs(Exception) 1
OpcPathProbingFailedEventArgs(Exception, String) 1
Properties 2
Exception 2
Message 2