

OpcReadOnlyNodeIdCollection Members

Namespace: Opc.UaFx

Assemblies: Opc.UaFx.Advanced.dll, Opc.UaFx.Advanced.dll

The [OpcReadOnlyNodeIdCollection](#) type exposes the following members.

Constructors

OpcReadOnlyNodeIdCollection(IEnumerable<OpcNodeId>)

Initializes a new instance of the [OpcReadOnlyNodeIdCollection](#) class that is a read-only representation of the items in the [enumerable](#).

C#

```
public OpcReadOnlyNodeIdCollection(IEnumerable<OpcNodeId> enumerable)
```

Parameters

[enumerable](#) [IEnumerable<OpcNodeId>](#)

The [IEnumerable<OpcNodeId>](#) of [OpcNodeId](#) values to copy.

Exceptions

[ArgumentNullException](#)

The [enumerable](#) is a null reference (Nothing in Visual Basic).

OpcReadOnlyNodeIdCollection(IList<OpcNodeId>)

Initializes a new instance of the [OpcReadOnlyNodeIdCollection](#) class that is a read-only wrapper around the specified [list](#).

C#

```
public OpcReadOnlyNodeIdCollection(IList<OpcNodeId> list)
```

Parameters

[list](#) [IList<OpcNodeId>](#)

The [IList<OpcNodeId>](#) of [OpcNodeId](#) values to wrap.

Exceptions

ArgumentNullException

The `list` is a null reference (Nothing in Visual Basic).

Table of Contents

Constructors	1
OpcReadOnlyNodeIdCollection(IEnumerable<OpcNodeId>)	1
OpcReadOnlyNodeIdCollection(IList<OpcNodeId>)	1

