

# OpcStateVariableNode Class

**Namespace:** Opc.UaFx

**Assemblies:** Opc.UaFx.Advanced.dll

Defines a variable node which stores the current state of a state machine as a human readable name.

**C#**

```
public class OpcStateVariableNode : OpcTextVariableNode, IOpcNode, IOpcNodeInfo
```

**Inheritance** [Object](#) > [OpcNode](#) > [OpcInstanceNode](#) > [OpcVariableNode](#) > [OpcDataVariableNode](#) > [OpcTextVariableNode](#) > [OpcStateVariableNode](#)

## Derived

- [OpcFiniteStateVariableNode](#)
- [OpcTwoStateVariableNode](#)

**Implements** [IOpcNode](#), [IOpcNodeInfo](#)

## Constructors

Name	Description
<a href="#">OpcStateVariableNode</a> ( <a href="#">IOpcNode</a> , <a href="#">OpcName</a> )	Initializes a new instance of the <a href="#">OpcStateVariableNode</a> class accessible by the <a href="#">name</a> specified as a child node of the <a href="#">parent</a> node given.
<a href="#">OpcStateVariableNode</a> ( <a href="#">IOpcNode</a> , <a href="#">OpcName</a> , <a href="#">OpcNodeId</a> )	Initializes a new instance of the <a href="#">OpcStateVariableNode</a> class accessible by the <a href="#">name</a> and <a href="#">id</a> specified as a child node of the <a href="#">parent</a> node given.
<a href="#">OpcStateVariableNode</a> ( <a href="#">IOpcNode</a> , <a href="#">OpcName</a> , <a href="#">OpcNodeId</a> , <a href="#">OpcText</a> )	Initializes a new instance of the <a href="#">OpcStateVariableNode</a> class accessible by the <a href="#">name</a> and <a href="#">id</a> specified with the initial value defined by <a href="#">value</a> as a child node of the <a href="#">parent</a> node given.
<a href="#">OpcStateVariableNode</a> ( <a href="#">IOpcNode</a> , <a href="#">OpcName</a> , <a href="#">OpcText</a> )	Initializes a new instance of the <a href="#">OpcStateVariableNode</a> class accessible by the <a href="#">name</a> specified with the initial value defined by <a href="#">value</a> as a child node of the <a href="#">parent</a> node given.
<a href="#">OpcStateVariableNode</a> ( <a href="#">OpcName</a> )	Initializes a new instance of the <a href="#">OpcStateVariableNode</a> class accessible by the <a href="#">name</a> specified.
<a href="#">OpcStateVariableNode</a> ( <a href="#">OpcName</a> , <a href="#">OpcNodeId</a> )	Initializes a new instance of the <a href="#">OpcStateVariableNode</a> class accessible by the <a href="#">name</a> and <a href="#">id</a> specified.
<a href="#">OpcStateVariableNode</a> ( <a href="#">OpcName</a> , <a href="#">OpcNodeId</a> , <a href="#">OpcText</a> )	Initializes a new instance of the <a href="#">OpcStateVariableNode</a> class accessible by the <a href="#">name</a> and <a href="#">id</a> specified with the initial value given by <a href="#">value</a> .
<a href="#">OpcStateVariableNode</a> ( <a href="#">OpcName</a> , <a href="#">OpcText</a> )	Initializes a new instance of the <a href="#">OpcStateVariableNode</a> class accessible by the <a href="#">name</a> specified with the initial value given by <a href="#">value</a> .

# Events

Name	Description
AfterApplyChanges	Occurs after one or more changes on the node has been notified. (Inherited from <a href="#">OpcNode</a> )
BeforeApplyChanges	Occurs before one or more changes on the node are notified. (Inherited from <a href="#">OpcNode</a> )

# Properties

Name	Description
AccessLevel	Gets or sets a value which indicates in which ways the <a href="#">Value</a> attribute of the variable node can be accessed (read/write) and if it provides current and/or historic data. (Inherited from <a href="#">OpcVariableNode</a> )
ArrayDimensions	Gets the number/lengths of dimensions for an array <a href="#">Value</a> with one or more fixed dimensions. (Inherited from <a href="#">OpcVariableNode</a> )
Category	Gets the <a href="#">NodeCategoryOpcAttribute</a> which identifies the kind of node and is therefore used to classify the node regarding its use and purpose. (Inherited from <a href="#">OpcNode</a> )
DataType	Gets or sets a value which defines a pre-defined used <a href="#">DataTypeId</a> as one of the members defined by the <a href="#">OpcDataType</a> enumeration to simplify querying standard data types. (Inherited from <a href="#">OpcVariableNode</a> )
DataTypeId	Gets or sets the identifier which identifies the node that defines the type of data represented by the variable node. (Inherited from <a href="#">OpcVariableNode</a> )
DefaultReferenceTypeId	Gets the default identifier which identifies the type that defines the underlying node reference within this <a href="#">OpcInstanceNode</a> is referenced by its parent node. (Inherited from <a href="#">OpcInstanceNode</a> )
DefaultReferenceTypeId	Gets the default identifier which identifies the type that defines the underlying node reference within this <a href="#">OpcInstanceNode</a> is referenced by its parent node. (Inherited from <a href="#">OpcVariableNode</a> )
DefaultTypeDefinitionId	Gets the default identifier which identifies the node that defines the underlying node type from that this <a href="#">OpcInstanceNode</a> has been created.
DefaultTypeDefinitionId	Gets the default identifier which identifies the node that defines the underlying node type from that this <a href="#">OpcInstanceNode</a> has been created. (Inherited from <a href="#">OpcInstanceNode</a> )
DefaultTypeDefinitionId	Gets the default identifier which identifies the node that defines the underlying node type from that this <a href="#">OpcInstanceNode</a> has been created. (Inherited from <a href="#">OpcVariableNode</a> )
DefaultTypeDefinitionId	Gets the default identifier which identifies the node that defines the underlying node type from that this <a href="#">OpcInstanceNode</a> has been created. (Inherited from <a href="#">OpcDataVariableNode</a> )
Description	Gets or sets the value of the optional <a href="#">DescriptionOpcAttribute</a> which shall explain the meaning of the node. (Inherited from <a href="#">OpcNode</a> )

Name	Description
Descriptions	Gets the <a href="#">OpcNodeGlobalization</a> instance used to control the localization and other globalization related tasks for the <a href="#">Description</a> attribute of the current node. (Inherited from <a href="#">OpcNode</a> )
DisplayName	Gets or sets the value of the <a href="#">DisplayNameOpcAttribute</a> which defines the localizable name of the node. (Inherited from <a href="#">OpcNode</a> )
DisplayNames	Gets the <a href="#">OpcNodeGlobalization</a> instance used to control the localization and other globalization related tasks for the <a href="#">DisplayName</a> attribute of the current node. (Inherited from <a href="#">OpcNode</a> )
EffectiveDisplayName	Gets or sets a value which contains a human readable name for the current state of the state machine after taking the state of any sub state machines in account.
EffectiveDisplayNameNode	Gets the <a href="#">OpcTextPropertyNode</a> of the <a href="#">EffectiveDisplayName</a> property.
HasPendingChanges	Gets a value indicating whether there exists any pending change on the node. (Inherited from <a href="#">OpcNode</a> )
HistoryConfiguration	(Inherited from <a href="#">OpcVariableNode</a> )
Id	Gets the value of the <a href="#">NodeIdOpcAttribute</a> which unambiguously identifies the node. (Inherited from <a href="#">OpcNode</a> )
IsArray	Gets a value indicating whether the <a href="#">Value</a> of the <a href="#">OpcVariableNode</a> represented is an array. (Inherited from <a href="#">OpcVariableNode</a> )
IsHistorizing	(Inherited from <a href="#">OpcVariableNode</a> )
ModellingRuleId	Gets or sets the identifier which defines how the <a href="#">OpcInstanceNode</a> is used for instantiation. (Inherited from <a href="#">OpcInstanceNode</a> )
Name	Gets or sets the value of the <a href="#">BrowseNameOpcAttribute</a> which defines the non-localizable human-readable name used when browsing the address space. (Inherited from <a href="#">OpcNode</a> )
Namespace	(Inherited from <a href="#">OpcNode</a> )
Number	Gets or sets a numeric identifier which identifies the current state within the state machine.
NumberNode	Gets the <a href="#">OpcPropertyNode</a> '1 of the <a href="#">Number</a> property.
Parent	Gets the parent node of the node. (Inherited from <a href="#">OpcNode</a> )
Parent	Gets the parent node of the node. (Inherited from <a href="#">OpcInstanceNode</a> )
PendingChanges	Gets a value indicating the most recent changes performed on the node since their last notification. (Inherited from <a href="#">OpcNode</a> )
QueryEventsCallback	Gets or sets a callback used to query any event information which belongs to the node. (Inherited from <a href="#">OpcNode</a> )
ReadAccessLevelCallback	(Inherited from <a href="#">OpcVariableNode</a> )
ReadArrayDimensionsCallback	(Inherited from <a href="#">OpcVariableNode</a> )
ReadDataTypeCallback	(Inherited from <a href="#">OpcVariableNode</a> )
ReadDescriptionCallback	(Inherited from <a href="#">OpcNode</a> )
ReadDisplayNameCallback	(Inherited from <a href="#">OpcNode</a> )

Name	Description
<a href="#">ReadIsHistorizingCallback</a>	(Inherited from <a href="#">OpcVariableNode</a> )
<a href="#">ReadUserAccessLevelCallback</a>	(Inherited from <a href="#">OpcVariableNode</a> )
<a href="#">ReadUserWriteAccessCallback</a>	(Inherited from <a href="#">OpcNode</a> )
<a href="#">ReadValueRankCallback</a>	(Inherited from <a href="#">OpcVariableNode</a> )
<a href="#">ReadVariableValueCallback</a>	Gets or sets a callback used to read the variable value. (Inherited from <a href="#">OpcVariableNode</a> )
<a href="#">ReadWriteAccessCallback</a>	(Inherited from <a href="#">OpcNode</a> )
<a href="#">ReferenceType</a>	Gets a value which defines a pre-defined used <a href="#">ReferenceTypeId</a> as one of the members defined by the <a href="#">OpcReferenceType</a> enumeration to simplify querying standard reference types. (Inherited from <a href="#">OpcInstanceNode</a> )
<a href="#">ReferenceTypeId</a>	Gets or sets the identifier which identifies the node that defines the semantic of the reference between a source and a target node and generally reflects an operation between the two, such as "A contains B". (Inherited from <a href="#">OpcInstanceNode</a> )
<a href="#">Status</a>	(Inherited from <a href="#">OpcVariableNode</a> )
<a href="#">SymbolicName</a>	(Inherited from <a href="#">OpcNode</a> )
<a href="#">Tag</a>	Gets or sets the object that contains additional user data about the node. (Inherited from <a href="#">OpcNode</a> )
<a href="#">Timestamp</a>	(Inherited from <a href="#">OpcVariableNode</a> )
<a href="#">TypeDefinitionId</a>	Gets or sets the identifier which identifies the node that defines the underlying node type from that this <a href="#">OpcInstanceNode</a> has been created. (Inherited from <a href="#">OpcInstanceNode</a> )
<a href="#">UserAccessLevel</a>	Gets or sets a value which indicates in which ways the <a href="#">Value</a> attribute of the variable node can be accessed (read/write) and if it provides current and/or historic data taking user access rights into account. (Inherited from <a href="#">OpcVariableNode</a> )
<a href="#">UserWriteAccess</a>	Gets or sets the value of the optional <a href="#">UserWriteAccessOpcAttribute</a> which exposes the possibilities of a client to write the attributes of the node taking user access rights into account. (Inherited from <a href="#">OpcNode</a> )
<a href="#">Value</a>	Gets or sets the value of the variable node which may be simple or complex. (Inherited from <a href="#">OpcVariableNode</a> )
<a href="#">Value</a>	Gets or sets the value of the text variable node. (Inherited from <a href="#">OpcTextVariableNode</a> )
<a href="#">ValueRank</a>	(Inherited from <a href="#">OpcVariableNode</a> )
<a href="#">VariableId</a>	Gets or sets a value which uniquely identifies the current state within the state machine.
<a href="#">VariableIdNode</a>	Gets the <a href="#">OpcPropertyNode</a> of the <a href="#">VariableId</a> property.
<a href="#">VariableName</a>	Gets or sets the name which uniquely identifies the current state within the state machine.
<a href="#">VariableNameNode</a>	Gets the <a href="#">OpcNamePropertyNode</a> of the <a href="#">VariableName</a> property.
<a href="#">WriteAccess</a>	Gets or sets the value of the optional <a href="#">WriteAccessOpcAttribute</a> which exposes the possibilities of a client to write the attributes of the node. (Inherited from <a href="#">OpcNode</a> )
<a href="#">WriteAccessLevelCallback</a>	(Inherited from <a href="#">OpcVariableNode</a> )
<a href="#">WriteArrayDimensionsCallback</a>	(Inherited from <a href="#">OpcVariableNode</a> )
<a href="#">WriteDataTypeCallback</a>	(Inherited from <a href="#">OpcVariableNode</a> )
<a href="#">WriteDescriptionCallback</a>	(Inherited from <a href="#">OpcNode</a> )
<a href="#">WriteDisplayNameCallback</a>	(Inherited from <a href="#">OpcNode</a> )

Name	Description
WriteIsHistorizingCallback	(Inherited from <a href="#">OpcVariableNode</a> )
WriteUserAccessLevelCallback	(Inherited from <a href="#">OpcVariableNode</a> )
WriteUserWriteAccessCallback	(Inherited from <a href="#">OpcNode</a> )
WriteValueRankCallback	(Inherited from <a href="#">OpcVariableNode</a> )
WriteVariableValueCallback	Gets or sets a callback used to write the variable value. (Inherited from <a href="#">OpcVariableNode</a> )
WriteWriteAccessCallback	(Inherited from <a href="#">OpcNode</a> )

## Methods

Name	Description
AddChild( <a href="#">OpcContext</a> , <a href="#">OpcInstanceNode</a> )	(Inherited from <a href="#">OpcInstanceNode</a> )
AddNotifier( <a href="#">OpcContext</a> , <a href="#">IOpcNode</a> )	(Inherited from <a href="#">OpcNode</a> )
ApplyChanges( <a href="#">OpcContext</a> )	Notifies about changes performed on the node since the last notification and resets the pending changes to <a href="#">None</a> . (Inherited from <a href="#">OpcNode</a> )
ApplyChanges( <a href="#">OpcContext</a> , <a href="#">Boolean</a> )	Notifies about changes performed on the node (and optionally on its children) since the last notification and resets the pending changes to <a href="#">None</a> . (Inherited from <a href="#">OpcNode</a> )
AttributeValue( <a href="#">OpcAttribute</a> )	Retrieves the value of the <a href="#">attribute</a> specified. (Inherited from <a href="#">OpcNode</a> )
AttributeValue`1( <a href="#">OpcAttribute</a> )	Retrieves the value of the <a href="#">attribute</a> specified. (Inherited from <a href="#">OpcNode</a> )
Child( <a href="#">OpcContext</a> , <a href="#">OpcName</a> )	Retrieves the child node its <a href="#">Name</a> property matches exactly the <a href="#">name</a> specified. (Inherited from <a href="#">OpcNode</a> )
Children( <a href="#">OpcContext</a> )	Retrieves a sequence of all nodes organized as children of this node. (Inherited from <a href="#">OpcNode</a> )
InitializeDefaults	Initializes the default values used by the node implementation represented / required. (Inherited from <a href="#">OpcNode</a> )
InitializeDefaults	Initializes the default values used by the <a href="#">OpcInstanceNode</a> . (Inherited from <a href="#">OpcInstanceNode</a> )
InitializeDefaults	Initializes the default values used by the <a href="#">OpcVariableNode</a> . (Inherited from <a href="#">OpcVariableNode</a> )
IsChangePending( <a href="#">OpcNodeChanges</a> )	(Inherited from <a href="#">OpcNode</a> )
OnAfterApplyChanges( <a href="#">OpcNodeChangesEventArgs</a> )	Raises the <a href="#">AfterApplyChanges</a> event using the event data specified. (Inherited from <a href="#">OpcNode</a> )

Name	Description
OnBeforeApplyChanges(OpcNodeChangesEventArgs)	Raises the <a href="#">BeforeApplyChanges</a> event using the event data specified. (Inherited from <a href="#">OpcNode</a> )
QueryEventsCore(OpcNodeContext, OpcEventCollection)	(Inherited from <a href="#">OpcNode</a> )
ReadAttributeValueCore`1(OpcReadAttributeValueContext, OpcAttributeValue)	(Inherited from <a href="#">OpcNode</a> )
ReadAttributeValueCore`1(OpcReadAttributeValueContext, OpcAttributeValue)	(Inherited from <a href="#">OpcVariableNode</a> )
ReadTextValue(OpcReadVariableValueContext)	Reads the text variable node value using the <a href="#">context</a> specified. (Inherited from <a href="#">OpcTextVariableNode</a> )
ReadValue(OpcReadVariableValueContext)	Reads the variable node value using the <a href="#">context</a> specified. (Inherited from <a href="#">OpcVariableNode</a> )
ReadVariableValue(OpcReadVariableValueContext)	(Inherited from <a href="#">OpcVariableNode</a> )
ReadVariableValueCore(OpcReadVariableValueContext, OpcVariableValue)	Reads the value of the variable node using the <a href="#">context</a> and <a href="#">value</a> information specified. (Inherited from <a href="#">OpcVariableNode</a> )
RemoveChild(OpcContext, OpcInstanceNode)	(Inherited from <a href="#">OpcInstanceNode</a> )
RemoveNotifier(OpcContext, IOpcNode)	(Inherited from <a href="#">OpcNode</a> )
RemoveNotifier(OpcContext, IOpcNode)	(Inherited from <a href="#">OpcInstanceNode</a> )
ReportEvent(OpcContext, OpcEvent)	(Inherited from <a href="#">OpcNode</a> )
UpdateChanges(OpcContext, OpcNodeChanges)	Notifies about the <a href="#">changes</a> on behalf of the node and removes pending changes which intersect with the <a href="#">changes</a> specified. (Inherited from <a href="#">OpcNode</a> )
UpdateChanges(OpcContext, OpcNodeChanges, Boolean)	Notifies about the <a href="#">changes</a> on behalf of the node (and optionally on its children) and removes pending changes which intersect with the <a href="#">changes</a> specified. (Inherited from <a href="#">OpcNode</a> )
WriteAttributeValueCore`1(OpcWriteAttributeValueContext, OpcAttributeValue)	(Inherited from <a href="#">OpcNode</a> )
WriteAttributeValueCore`1(OpcWriteAttributeValueContext, OpcAttributeValue)	(Inherited from <a href="#">OpcVariableNode</a> )
WriteTextValue(OpcWriteVariableValueContext, OpcText)	Writes the <a href="#">value</a> to the text variable node value using the <a href="#">context</a> specified. (Inherited from <a href="#">OpcTextVariableNode</a> )
WriteValue(OpcWriteVariableValueContext, Object)	Writes the <a href="#">value</a> to the variable node value using the <a href="#">context</a> specified. (Inherited from <a href="#">OpcVariableNode</a> )
WriteVariableValue(OpcWriteVariableValueContext, OpcVariableValue)	(Inherited from <a href="#">OpcVariableNode</a> )

Name	Description
<code>WriteVariableValueCore(OpcWriteVariableValueContext, OpcVariableValue)</code>	Writes the value of the variable node using the <b>context</b> and <b>value</b> information specified. (Inherited from <a href="#">OpcVariableNode</a> )





# Table of Contents

<b>Constructors</b>	1
<b>Events</b>	2
<b>Properties</b>	2
<b>Methods</b>	5