

OpcStatusCodeExtensions Members

Namespace: Opc.UaFx

Assemblies: Opc.UaFx.Advanced.dll, Opc.UaFx.Advanced.dll

The [OpcStatusCodeExtensions](#) type exposes the following members.

Methods

IsBad(OpcStatusCode)

C#

```
[CLSCompliant(false)]  
public static bool IsBad(this OpcStatusCode value)
```

Parameters

value [OpcStatusCode](#)

Returns

[Boolean](#)

IsGood(OpcStatusCode)

C#

```
[CLSCompliant(false)]  
public static bool IsGood(this OpcStatusCode value)
```

Parameters

value [OpcStatusCode](#)

Returns

[Boolean](#)

IsNotBad(OpcStatusCode)

C#

```
[CLSCompliant(false)]  
public static bool IsNotBad(this OpcStatusCode value)
```

Parameters

value OpcStatusCode

Returns

Boolean

IsNotGood(OpcStatusCode)

C#

```
[CLSCompliant(false)]  
public static bool IsNotGood(this OpcStatusCode value)
```

Parameters

value OpcStatusCode

Returns

Boolean

IsNotUncertain(OpcStatusCode)

C#

```
[CLSCompliant(false)]  
public static bool IsNotUncertain(this OpcStatusCode value)
```

Parameters

value OpcStatusCode

Returns

Boolean

IsUncertain(OpcStatusCode)

C#

```
[CLSCompliant(false)]  
public static bool IsUncertain(this OpcStatusCode value)
```

Parameters

value OpcStatusCode

Returns

Boolean

Table of Contents

Methods	1
IsBad(OpcStatusCode)	1
IsGood(OpcStatusCode)	1
IsNotBad(OpcStatusCode)	1
IsNotGood(OpcStatusCode)	2
IsNotUncertain(OpcStatusCode)	2
IsUncertain(OpcStatusCode)	3