

# OpcStatusConditionVariableNode

## Members

**Namespace:** Opc.UaFx

**Assemblies:** Opc.UaFx.Advanced.dll, Opc.UaFx.Advanced.dll

The [OpcStatusConditionVariableNode](#) type exposes the following members.

## Constructors

### OpcStatusConditionVariableNode(IOpcNode, OpcName)

Initializes a new instance of the [OpcStatusConditionVariableNode](#) class accessible by the **name** specified as a child node of the **parent** node given.

**C#**

```
public OpcStatusConditionVariableNode(IOpcNode parent, OpcName name)
```

#### Parameters

**parent** [IOpcNode](#)

The [IOpcNode](#) used as the parent node or a null reference (Nothing in Visual Basic) in the case there is no parent node available.

**name** [OpcName](#)

The [OpcName](#) through that the new status condition variable node can be accessed.

### OpcStatusConditionVariableNode(IOpcNode, OpcName, OpcNodeId)

Initializes a new instance of the [OpcStatusConditionVariableNode](#) class accessible by the **name** and **id** specified as a child node of the **parent** node given.

**C#**

```
public OpcStatusConditionVariableNode(IOpcNode parent, OpcName name, OpcNodeId id)
```

#### Parameters

**parent** [IOpcNode](#)

The [IOpcNode](#) used as the parent node or a null reference (Nothing in Visual Basic) in the case there is no parent node available.

**name** [OpcName](#)

The [OpcName](#) through that the new status condition variable node can be accessed.

## id OpcNodeId

The [OpcNodeId](#) through that the new status condition variable node can be identified and accessed.

# OpcStatusConditionVariableNode(IOpcNode, OpcName, OpcNodeId, OpcStatus)

Initializes a new instance of the [OpcStatusConditionVariableNode](#) class accessible by the [name](#) and [id](#) specified with the initial value defined by [value](#) as a child node of the [parent](#) node given.

## C#

```
public OpcStatusConditionVariableNode(IOpcNode parent, OpcName name, OpcNodeId id, OpcStatus value)
```

## Parameters

### parent IOpcNode

The [IOpcNode](#) used as the parent node or a null reference (Nothing in Visual Basic) in the case there is no parent node available.

### name OpcName

The [OpcName](#) through that the new status condition variable node can be accessed.

### id OpcNodeId

The [OpcNodeId](#) through that the new status condition variable node can be identified and accessed.

### value OpcStatus

The initial value of the new status condition variable node.

# OpcStatusConditionVariableNode(IOpcNode, OpcName, OpcStatus)

Initializes a new instance of the [OpcStatusConditionVariableNode](#) class accessible by the [name](#) specified with the initial value defined by [value](#) as a child node of the [parent](#) node given.

## C#

```
public OpcStatusConditionVariableNode(IOpcNode parent, OpcName name, OpcStatus value)
```

## Parameters

### parent IOpcNode

The [IOpcNode](#) used as the parent node or a null reference (Nothing in Visual Basic) in the case there is no parent node available.

### name OpcName

The [OpcName](#) through that the new status condition variable node can be accessed.

value `OpcStatus`

The initial value of the new status condition variable node.

## OpcStatusConditionVariableNode(OpcName)

Initializes a new instance of the `OpcStatusConditionVariableNode` class accessible by the `name` specified.

**C#**

```
public OpcStatusConditionVariableNode(OpcName name)
```

### Parameters

`name` `OpcName`

The `OpcName` through that the new status condition variable node can be accessed.

## OpcStatusConditionVariableNode(OpcName, OpcNodeId)

Initializes a new instance of the `OpcStatusConditionVariableNode` class accessible by the `name` and `id` specified.

**C#**

```
public OpcStatusConditionVariableNode(OpcName name, OpcNodeId id)
```

### Parameters

`name` `OpcName`

The `OpcName` through that the new status condition variable node can be accessed.

`id` `OpcNodeId`

The `OpcNodeId` through that the new status condition variable node can be identified and accessed.

## OpcStatusConditionVariableNode(OpcName, OpcNodeId, OpcStatus)

Initializes a new instance of the `OpcStatusConditionVariableNode` class accessible by the `name` and `id` specified with the initial value given by `value`.

**C#**

```
public OpcStatusConditionVariableNode(OpcName name, OpcNodeId id, OpcStatus value)
```

### Parameters

`name` `OpcName`

The `OpcName` through that the new status condition variable node can be accessed.

### id OpcNodeId

The [OpcNodeId](#) through that the new status condition variable node can be identified and accessed.

### value OpcStatus

The initial value of the new status condition variable node.

## OpcStatusConditionVariableNode(OpcName, OpcStatus)

Initializes a new instance of the [OpcStatusConditionVariableNode](#) class accessible by the [name](#) specified with the initial value given by [value](#).

### C#

```
public OpcStatusConditionVariableNode(OpcName name, OpcStatus value)
```

### Parameters

#### name OpcName

The [OpcName](#) through that the new status condition variable node can be accessed.

#### value OpcStatus

The initial value of the new status condition variable node.

## Properties

### Value

Gets or sets the value of the status condition variable node.

### C#

```
public OpcStatus Value { get; set; }
```

### Property Value

#### OpcStatus

A [OpcStatus](#) representing the value of the status condition variable node. This can be also a null reference (Nothing in Visual Basic).

## Methods

### ReadStatusValue(OpcReadVariableValueContext)

Reads the status condition variable node value using the [context](#) specified.

## C#

```
public OpcStatus ReadStatusValue(OpcReadVariableValueContext context)
```

### Parameters

**context** [OpcReadVariableValueContext](#)

The [OpcReadVariableValueContext](#) to use to read the status condition variable node value.

### Returns

[OpcStatus](#)

The [OpcStatus](#) status condition variable node value associated with this node and read using the **context** specified. This can also be a null reference (Nothing in Visual Basic).

### Exceptions

[ArgumentNullException](#)

The **context** is a null reference (Nothing in Visual Basic).

## WriteStatusValue(OpcWriteVariableValueContext, OpcStatus)

Writes the **value** to the status condition variable node value using the **context** specified.

## C#

```
public void WriteStatusValue(OpcWriteVariableValueContext context, OpcStatus value)
```

### Parameters

**context** [OpcWriteVariableValueContext](#)

The [OpcWriteVariableValueContext](#) to use to write the status condition variable node **value** specified.

**value** [OpcStatus](#)

The [OpcStatus](#) to write to the status condition variable node value.

### Exceptions

[ArgumentNullException](#)

The **context** is a null reference (Nothing in Visual Basic).



# Table of Contents

<b>Constructors</b> .....	1
OpcStatusConditionVariableNode(IOpcNode, OpcName) .....	1
OpcStatusConditionVariableNode(IOpcNode, OpcName, OpcNodeId) .....	1
OpcStatusConditionVariableNode(IOpcNode, OpcName, OpcNodeId, OpcStatus) .....	2
OpcStatusConditionVariableNode(IOpcNode, OpcName, OpcStatus) .....	2
OpcStatusConditionVariableNode(OpcName) .....	3
OpcStatusConditionVariableNode(OpcName, OpcNodeId) .....	3
OpcStatusConditionVariableNode(OpcName, OpcNodeId, OpcStatus) .....	3
OpcStatusConditionVariableNode(OpcName, OpcStatus) .....	4
<b>Properties</b> .....	4
Value .....	4
<b>Methods</b> .....	4
ReadStatusValue(OpcReadVariableValueContext) .....	4
WriteStatusValue(OpcWriteVariableValueContext, OpcStatus) .....	5