

OpcTimedShelveMethodNode Members

Namespace: Opc.UaFx

Assemblies: Opc.UaFx.Advanced.dll, Opc.UaFx.Advanced.dll

The [OpcTimedShelveMethodNode](#) type exposes the following members.

Constructors

OpcTimedShelveMethodNode(IOPcNode, OpcName, OpcNodeId, OpcTimedShelveMethodNode.TimedShelveCallback)

Initializes a new instance of the [OpcTimedShelveMethodNode](#) class accessible by the `name` and `id` specified with the delegate to call defined by `callback` as a child node of the `parent` node given.

C#

```
public OpcTimedShelveMethodNode(IOPcNode parent, OpcName name, OpcNodeId id,  
OpcTimedShelveMethodNode.TimedShelveCallback callback)
```

Parameters

`parent` IOPcNode

The [IOPcNode](#) used as the parent node or a null reference (Nothing in Visual Basic) in the case there is no parent node available.

`name` OpcName

The [OpcName](#) through that the new add comment method node can be accessed.

`id` OpcNodeId

The [OpcNodeId](#) through that the new add comment method node can be identified and accessed.

`callback` TimedShelveCallback

The [TimedShelveCallback](#) to call on method invocation of the new add comment method node.

OpcTimedShelveMethodNode(IOPcNode, OpcName, OpcNodeId, OpcTimedShelveMethodNode.TimedShelveExCallback)

Initializes a new instance of the [OpcTimedShelveMethodNode](#) class accessible by the `name` and `id` specified with the delegate to call defined by `callback` as a child node of the `parent` node given.

C#

```
public OpcTimedShelveMethodNode(IopcNode parent, OpcName name, OpcNodeId id,  
OpcTimedShelveMethodNode.TimedShelveExCallback callback)
```

Parameters

parent `IopcNode`

The `IopcNode` used as the parent node or a null reference (Nothing in Visual Basic) in the case there is no parent node available.

name `OpcName`

The `OpcName` through that the new add comment method node can be accessed.

id `OpcNodeId`

The `OpcNodeId` through that the new add comment method node can be identified and accessed.

callback `TimedShelveExCallback`

The `TimedShelveExCallback` to call on method invocation of the new add comment method node.

OpcTimedShelveMethodNode(IopcNode, OpcName, OpcTimedShelveMethodNode.TimedShelveCallback)

Initializes a new instance of the `OpcTimedShelveMethodNode` class accessible by the `name` specified with the `TimedShelveCallback` call given by `callback` as a child node of the `parent` node given.

C#

```
public OpcTimedShelveMethodNode(IopcNode parent, OpcName name,  
OpcTimedShelveMethodNode.TimedShelveCallback callback)
```

Parameters

parent `IopcNode`

The `IopcNode` used as the parent node or a null reference (Nothing in Visual Basic) in the case there is no parent node available.

name `OpcName`

The `OpcName` through that the new add comment method node can be accessed.

callback `TimedShelveCallback`

The `TimedShelveCallback` to call on method invocation of the new add comment method node.

OpcTimedShelveMethodNode(IopcNode, OpcName, OpcTimedShelveMethodNode.TimedShelveExCallback)

Initializes a new instance of the `OpcTimedShelveMethodNode` class accessible by the `name` specified with the `TimedShelveExCallback` call given by `callback` as a child node of the `parent` node given.

C#

```
public OpcTimedShelveMethodNode(IopcNode parent, OpcName name,  
OpcTimedShelveMethodNode.TimedShelveExCallback callback)
```

Parameters

parent IopcNode

The **IopcNode** used as the parent node or a null reference (Nothing in Visual Basic) in the case there is no parent node available.

name OpcName

The **OpcName** through that the new add comment method node can be accessed.

callback TimedShelveExCallback

The **TimedShelveExCallback** to call on method invocation of the new add comment method node.

OpcTimedShelveMethodNode(OpcName, OpcNodeId, OpcTimedShelveMethodNode.TimedShelveCallback)

Initializes a new instance of the **OpcTimedShelveMethodNode** class accessible by the **name** and **id** specified with the delegate to call given by **callback**.

C#

```
public OpcTimedShelveMethodNode(OpcName name, OpcNodeId id,  
OpcTimedShelveMethodNode.TimedShelveCallback callback)
```

Parameters

name OpcName

The **OpcName** through that the new add comment method node can be accessed.

id OpcNodeId

The **OpcNodeId** through that the new add comment method node can be identified and accessed.

callback TimedShelveCallback

The **TimedShelveCallback** to call on method invocation of the new add comment method node.

OpcTimedShelveMethodNode(OpcName, OpcNodeId, OpcTimedShelveMethodNode.TimedShelveExCallback)

Initializes a new instance of the **OpcTimedShelveMethodNode** class accessible by the **name** and **id** specified with the delegate to call given by **callback**.

C#

```
public OpcTimedShelveMethodNode(OpcName name, OpcNodeId id,  
OpcTimedShelveMethodNode.TimedShelveExCallback callback)
```

Parameters

name OpcName

The **OpcName** through that the new add comment method node can be accessed.

id OpcNodeId

The **OpcNodeId** through that the new add comment method node can be identified and accessed.

callback TimedShelveExCallback

The **TimedShelveExCallback** to call on method invocation of the new add comment method node.

OpcTimedShelveMethodNode(OpcName, OpcTimedShelveMethodNode.TimedShelveCallback)

Initializes a new instance of the **OpcTimedShelveMethodNode** class accessible by the **name** specified with the **TimedShelveCallback** call given by **callback**.

C#

```
public OpcTimedShelveMethodNode(OpcName name, OpcTimedShelveMethodNode.TimedShelveCallback  
callback)
```

Parameters

name OpcName

The **OpcName** through that the new add comment method node can be accessed.

callback TimedShelveCallback

The **TimedShelveCallback** to call on method invocation of the new add comment method node.

OpcTimedShelveMethodNode(OpcName, OpcTimedShelveMethodNode.TimedShelveExCallback)

Initializes a new instance of the **OpcTimedShelveMethodNode** class accessible by the **name** specified with the **TimedShelveExCallback** call given by **callback**.

C#

```
public OpcTimedShelveMethodNode(OpcName name, OpcTimedShelveMethodNode.TimedShelveExCallback  
callback)
```

Parameters

name OpcName

The [OpcName](#) through that the new add comment method node can be accessed.

callback [TimedShelveExCallback](#)

The [TimedShelveExCallback](#) to call on method invocation of the new add comment method node.

OpcTimedShelveMethodNode([OpcTimedShelveMethodNode](#).[TimedShelveCallback](#))

Initializes a new instance of the [OpcTimedShelveMethodNode](#) class with the [TimedShelveCallback](#) call given by [callback](#).

C#

```
public OpcTimedShelveMethodNode(OpcTimedShelveMethodNode.TimedShelveCallback callback)
```

Parameters

[callback](#) [TimedShelveCallback](#)

The [TimedShelveCallback](#) to call on method invocation of the new add comment method node.

OpcTimedShelveMethodNode([OpcTimedShelveMethodNode](#).[TimedShelveExCallback](#))

Initializes a new instance of the [OpcTimedShelveMethodNode](#) class with the [TimedShelveExCallback](#) call given by [callback](#).

C#

```
public OpcTimedShelveMethodNode(OpcTimedShelveMethodNode.TimedShelveExCallback callback)
```

Parameters

[callback](#) [TimedShelveExCallback](#)

The [TimedShelveExCallback](#) to call on method invocation of the new add comment method node.

Properties

DefaultTypeDefinitionId

Gets the default identifier which identifies the node that defines the underlying node type from that this [OpcInstanceNode](#) has been created.

C#

```
protected override OpcNodeId DefaultTypeDefinitionId { get; }
```

Property Value

OpcNodeId

The **OpcNodeId** of the type node from that this **OpcInstanceNode** has been created from. These type node defines the typical structure of an instance node of its type definition. If there exists no specific type definition node a null reference (Nothing in Visual Basic).

Table of Contents

Constructors	1
OpcTimedShelveMethodNode(IOPCNode, OpcName, OpcNodeId, OpcTimedShelveMethodNode.TimedShelveCallback)	1
OpcTimedShelveMethodNode(IOPCNode, OpcName, OpcNodeId, OpcTimedShelveMethodNode.TimedShelveExCallback)	1
OpcTimedShelveMethodNode(IOPCNode, OpcName, OpcTimedShelveMethodNode.TimedShelveCallback)	2
OpcTimedShelveMethodNode(IOPCNode, OpcName, OpcTimedShelveMethodNode.TimedShelveExCallback)	2
OpcTimedShelveMethodNode(OpcName, OpcNodeId, OpcTimedShelveMethodNode.TimedShelveCallback)	3
OpcTimedShelveMethodNode(OpcName, OpcNodeId, OpcTimedShelveMethodNode.TimedShelveExCallback)	3
OpcTimedShelveMethodNode(OpcName, OpcTimedShelveMethodNode.TimedShelveCallback)	4
OpcTimedShelveMethodNode(OpcName, OpcTimedShelveMethodNode.TimedShelveExCallback)	4
OpcTimedShelveMethodNode(OpcTimedShelveMethodNode.TimedShelveCallback)	5
OpcTimedShelveMethodNode(OpcTimedShelveMethodNode.TimedShelveExCallback)	5
Properties	5
DefaultTypeDefinitionId	5

