

OpcServerApplication Members

Namespace: Opc.UaFx.Server

Assemblies: Opc.UaFx.Advanced.dll, Opc.UaFx.Advanced.dll

The [OpcServerApplication](#) type exposes the following members.

Constructors

OpcServerApplication(OpcServer)

C#

```
public OpcServerApplication(OpcServer server)
```

Parameters

server [OpcServer](#)

Exceptions

[ArgumentNullException](#)

[InvalidOperationException](#)

OpcServerApplication(String, IEnumerable<OpcNodeManager>)

C#

```
public OpcServerApplication(string address, IEnumerable<OpcNodeManager> nodeManagers)
```

Parameters

address [String](#)

nodeManagers [IEnumerable<OpcNodeManager>](#)

Exceptions

[ArgumentException](#)

[ArgumentNullException](#)

[UriFormatException](#)

[InvalidOperationException](#)

OpcServerApplication(String, OpcNodeManager[])

C#

```
public OpcServerApplication(string address, params OpcNodeManager[] nodeManagers)
```

Parameters

address [String](#)

nodeManagers [OpcNodeManager\[\]](#)

Exceptions

[ArgumentException](#)

[ArgumentNullException](#)

[UriFormatException](#)

[InvalidOperationException](#)

OpcServerApplication(Uri, IEnumerable<OpcNodeManager>)

C#

```
public OpcServerApplication(Uri address, IEnumerable<OpcNodeManager> nodeManagers)
```

Parameters

address Uri

nodeManagers IEnumerable<OpcNodeManager>

Exceptions

ArgumentNullException

InvalidOperationException

OpcServerApplication(Uri, OpcNodeManager[])

C#

```
public OpcServerApplication(Uri address, params OpcNodeManager[] nodeManagers)
```

Parameters

address Uri

nodeManagers OpcNodeManager[]

Exceptions

ArgumentNullException

InvalidOperationException

Table of Contents

Constructors	1
OpcServerApplication(OpcServer)	1
OpcServerApplication(String, IEnumerable<OpcNodeManager>)	1
OpcServerApplication(String, OpcNodeManager[])	2
OpcServerApplication(Uri, IEnumerable<OpcNodeManager>)	2
OpcServerApplication(Uri, OpcNodeManager[])	3