

OpcBrowseNextRequest Members

Namespace: Opc.UaFx.Services

Assemblies: Opc.UaFx.Advanced.dll, Opc.UaFx.Advanced.dll

The [OpcBrowseNextRequest](#) type exposes the following members.

Constructors

OpcBrowseNextRequest(Byte[][])

C#

```
public OpcBrowseNextRequest(params byte[][] continuationPoints)
```

Parameters

continuationPoints [Byte\[\]\[\]](#)

Exceptions

[ArgumentNullException](#)

OpcBrowseNextRequest(IEnumerable<Byte[]>)

C#

```
public OpcBrowseNextRequest(IEnumerable<byte[]> continuationPoints)
```

Parameters

continuationPoints [IEnumerable<Byte>](#)

Exceptions

[ArgumentNullException](#)

OpcBrowseNextRequest(IOpcServiceRequestHeader,

Byte[][])

C#

```
public OpcBrowseNextRequest(IOpcServiceRequestHeader header, params byte[][] continuationPoints)
```

Parameters

header [IOpcServiceRequestHeader](#)

continuationPoints [Byte\[\]\[\]](#)

Exceptions

[ArgumentNullException](#)

OpcBrowseNextRequest(IOpcServiceRequestHeader, IEnumerable<Byte[]>)

C#

```
public OpcBrowseNextRequest(IOpcServiceRequestHeader header, IEnumerable<byte[]> continuationPoints)
```

Parameters

header [IOpcServiceRequestHeader](#)

continuationPoints [IEnumerable<Byte>](#)

Exceptions

[ArgumentNullException](#)

Properties

ContinuationPoints

C#

```
public ByteStringCollection ContinuationPoints { get; }
```

Property Value

ByteStringCollection

ReleaseContinuationPoints

C#

```
public bool ReleaseContinuationPoints { get; set; }
```

Property Value

Boolean

Table of Contents

Constructors	1
OpcBrowseNextRequest(Byte[][])	1
OpcBrowseNextRequest(IEnumerable<Byte[]>)	1
OpcBrowseNextRequest(IOpcServiceRequestHeader, Byte[][])	1
OpcBrowseNextRequest(IOpcServiceRequestHeader, IEnumerable<Byte[]>)	2
Properties	2
ContinuationPoints	3
ReleaseContinuationPoints	3