

OpcReadNodesHistoryRequest Class

Namespace: Opc.UaFx.Services

Assemblies: Opc.UaFx.Advanced.dll

C#

```

[CLSCompliant(false)]
public class OpcReadNodesHistoryRequest : OpcServiceRequest<HistoryReadValueId,
HistoryReadValueIdCollection>, IOpcServiceRequest
    
```

Inheritance [Object](#) > [OpcServiceRequest](#) > [OpcServiceRequest<HistoryReadValueId, HistoryReadValueIdCollection>](#) > [OpcReadNodesHistoryRequest](#)

Attributes [CLSCompliantAttribute](#)

Implements [IOpcServiceRequest](#)

Constructors

Name	Description
OpcReadNodesHistoryRequest(IOpcServiceRequestHeader, OpcReadHistoryDetails, HistoryReadValueId)	
OpcReadNodesHistoryRequest(IOpcServiceRequestHeader, OpcReadHistoryDetails, IEnumerable)	
OpcReadNodesHistoryRequest(OpcReadHistoryDetails, HistoryReadValueId)	
OpcReadNodesHistoryRequest(OpcReadHistoryDetails, IEnumerable)	

Properties

Name	Description
Details	
Header	(Inherited from OpcServiceRequest)
ReleaseContinuationPoints	
TimestampsToReturn	Gets or sets a value which specifies the timestamps to be returned for each requested Value attribute.

Methods

Name	Description
CreateHeader	(Inherited from OpcServiceRequest)
CreateHeaderCore	(Inherited from OpcServiceRequest)

Table of Contents

Constructors	1
Properties	1
Methods	1