

OpcWriteNodesResponse Members

Namespace: Opc.UaFx.Services

Assemblies: Opc.UaFx.Advanced.dll, Opc.UaFx.Advanced.dll

The [OpcWriteNodesResponse](#) type exposes the following members.

Constructors

OpcWriteNodesResponse(IOpcServiceResponseHeader)

C#

```
[CLSCompliant(false)]  
public OpcWriteNodesResponse(IOpcServiceResponseHeader header)
```

Parameters

header [IOpcServiceResponseHeader](#)

Exceptions

[ArgumentNullException](#)

OpcWriteNodesResponse(IOpcServiceResponseHeader, OpcStatusCollection)

C#

```
[CLSCompliant(false)]  
public OpcWriteNodesResponse(IOpcServiceResponseHeader header, OpcStatusCollection results)
```

Parameters

header [IOpcServiceResponseHeader](#)

results [OpcStatusCollection](#)

Exceptions

[ArgumentNullException](#)

OpcWriteNodesResponse(IOpcServiceResponseHeader, OpcStatusCollection, DiagnosticInfoCollection)

C#

```
[CLSCompliant(false)]  
public OpcWriteNodesResponse(IOpcServiceResponseHeader header, OpcStatusCollection results,  
DiagnosticInfoCollection diagnosticInfos)
```

Parameters

header [IOpcServiceResponseHeader](#)

results [OpcStatusCollection](#)

diagnosticInfos [DiagnosticInfoCollection](#)

Exceptions

[ArgumentNullException](#)

Table of Contents

Constructors	1
OpcWriteNodesResponse(IOpcServiceResponseHeader)	1
OpcWriteNodesResponse(IOpcServiceResponseHeader, OpcStatusCollection)	1
OpcWriteNodesResponse(IOpcServiceResponseHeader, OpcStatusCollection, DiagnosticInfoCollection)	2

