

PlcDeviceEndPoint Class

Namespace: IPS7Lnk.Advanced

Assemblies: IPS7LnkNet.Advanced.dll

Provides an abstract base class which identifies a network address of a PLC device.

C#

```
public abstract class PlcDeviceEndPoint
```

Inheritance [Object](#) > [PlcDeviceEndPoint](#)

Derived

- [IPDeviceEndPoint](#)

Constructors

Name	Description
PlcDeviceEndPoint	Initializes a new instance of the PlcDeviceEndPoint class.

Fields

Name	Description
TsapEncoding	Stores the type of Encoding used for encoding and decoding TSAP information.

Properties

Name	Description
AddressFamily	Gets the address family to which the endpoint belongs.
LocalTSAP	Gets or sets the address of the local transport service access point to use when communicating with the PLC device.
LocalTSAPValue	Gets or sets the String encoded address of the local transport service access point to use when communicating with the PLC device.
RemoteTSAP	Gets or sets the address of the remote transport service access point to use when communicating with the PLC device.
RemoteTSAPValue	Gets or sets the String encoded address of the remote transport service access point to use when communicating with the PLC device.

Methods

Name	Description
OnChanged(EventArgs)	Raises the Changed event using the specified event data.
RaiseChanged	Raises the Changed event.

Table of Contents

Constructors	1
Fields	1
Properties	1
Methods	1