

PlcNotifications.PlcDeviceConnectionStateEventArgs Class

Namespace: IPS7Lnk.Advanced

Assemblies: IPS7LnkNet.Advanced.dll

Provides [PlcDeviceConnection](#) data for state changes.

C#

```
public class PlcDeviceConnectionStateEventArgs :  
    PlcNotifications.PlcDeviceConnectionEventArgs
```

Inheritance [Object](#) > [EventArgs](#) > [PlcDeviceConnectionEventArgs](#) >

[PlcNotifications.PlcDeviceConnectionStateEventArgs](#)

Constructors

Name	Description
PlcDeviceConnectionStateEventArgs.#ctor(PlcDeviceConnection, PlcDeviceConnectionState, PlcDeviceConnectionState)	Initializes a new instance of the PlcDeviceConnectionStateEventArgs class using the specified connection , oldState and newState .

Properties

Name	Description
PlcDeviceConnectionEventArgs.Connection	Gets the PlcDeviceConnection to that the event and event data does belong. (Inherited from PlcDeviceConnectionEventArgs)
PlcDeviceConnectionStateEventArgs.NewState	Gets the state after the change.
PlcDeviceConnectionStateEventArgs.OldState	Gets the state before the change.

Table of Contents

Constructors	1
Properties	1