

PlcPeripheryInputOperand Members

Namespace: IPS7Lnk.Advanced

Assemblies: IPS7LnkNet.Advanced.dll, IPS7LnkNet.Advanced.dll

The [PlcPeripheryInputOperand](#) type exposes the following members.

Constructors

PlcPeripheryInputOperand(SerializationInfo, StreamingContext)

Initializes a new instance of the [PlcPeripheryInputOperand](#) class with serialized data.

C#

```
protected PlcPeripheryInputOperand(SerializationInfo info, StreamingContext context)
```

Parameters

info [Serialization.SerializationInfo](#)

The [Serialization.SerializationInfo](#) that holds the serialized object data about the exception being thrown.

context [Serialization.StreamingContext](#)

The [Serialization.StreamingContext](#) that contains contextual information about the source or destination.

Exceptions

[ArgumentNullException](#)

The info parameter is null reference (Nothing in Visual Basic).

[Serialization.SerializationException](#)

The class name is null reference (Nothing in Visual Basic) or [HResult](#) is zero (0).

Methods

Byte(Int32)

Creates a new [PlcByteAddress](#) from this [PlcPeripheryInputOperand](#) using the **byteNumber** specified.

C#

```
public PlcByteAddress Byte(int byteNumber)
```

Parameters

byteNumber Int32

The number of the byte to that the new [PlcByteAddress](#) refers.

Returns

PlcByteAddress

A new [PlcByteAddress](#) which refers to this operand and to the [byteNumber](#) specified.

Exceptions

ArgumentOutOfRangeException

The [byteNumber](#) is out of the bounds defined by [MinByteNumber](#) or [MaxByteNumber](#).

CompareTo(Object)

Compares the current [PlcPeripheryInputOperand](#) with the [other](#).

C#

```
public override int CompareTo(object other)
```

Parameters

other Object

The [PlcPeripheryInputOperand](#) to compare with this [PlcPeripheryInputOperand](#).

Returns

Int32

A 32-bit signed integer that indicates the relative order of the objects being compared ([CompareTo\(Object\)](#)).

CompareTo(PlcPeripheryInputOperand)

Compares the current [PlcPeripheryInputOperand](#) with another [PlcPeripheryInputOperand](#).

C#

```
public int CompareTo(PlcPeripheryInputOperand other)
```

Parameters

other PlcPeripheryInputOperand

The [PlcPeripheryInputOperand](#) to compare with this [PlcPeripheryInputOperand](#).

Returns

Int32

A 32-bit signed integer that indicates the relative order of the objects being compared ([CompareTo\(\)](#)).

DWord(Int32)

Creates a new [PlcDWordAddress](#) from this [PlcPeripheryInputOperand](#) using the `byteNumber` specified.

C#

```
public PlcDWordAddress DWord(int byteNumber)
```

Parameters

`byteNumber` Int32

The number of the byte to that the new [PlcDWordAddress](#) refers.

Returns

PlcDWordAddress

A new [PlcDWordAddress](#) which refers to this operand and to the `byteNumber` specified.

Exceptions

[ArgumentOutOfRangeException](#)

The `byteNumber` is out of the bounds defined by [MinByteNumber](#) or [MaxByteNumber](#).

Equals(Object)

Determines whether the specified `other` is equal to this [PlcPeripheryInputOperand](#).

C#

```
public override bool Equals(object other)
```

Parameters

`other` Object

The [PlcPeripheryInputOperand](#) to compare to the current [PlcPeripheryInputOperand](#).

Returns

Boolean

The value true if the specified [PlcPeripheryInputOperand](#) is equal to the current [PlcPeripheryInputOperand](#);

otherwise the value false.

Equals(PlcPeripheryInputOperand)

Determines whether the specified `other` is equal to this `PlcPeripheryInputOperand`.

C#

```
public bool Equals(PlcPeripheryInputOperand other)
```

Parameters

`other` `PlcPeripheryInputOperand`

The `PlcPeripheryInputOperand` to compare to the current `PlcPeripheryInputOperand`.

Returns

`Boolean`

The value true if the specified `PlcPeripheryInputOperand` is equal to the current `PlcPeripheryInputOperand`; otherwise the value false.

GetHashCode()

Retrieves a hash code for this `PlcPeripheryInputOperand`.

C#

```
public override int GetHashCode()
```

Returns

`Int32`

An `Int32` that contains the hash code for the `PlcPeripheryInputOperand`.

GetObjectData(SerializationInfo, StreamingContext)

Sets the `Serialization.SerializationInfo` with information about the exception.

C#

```
[SecurityPermission(SecurityAction.LinkDemand, Flags =
SecurityPermissionFlag.SerializationFormatter)]
public override void GetObjectData(SerializationInfo info, StreamingContext context)
```

Parameters

`info` `Serialization.SerializationInfo`

The [Serialization.SerializationInfo](#) that holds the serialized object data about the exception being thrown.

context [Serialization.StreamingContext](#)

The [Serialization.StreamingContext](#) that contains contextual information about the source or destination.

Exceptions

ArgumentNullException

The `info` parameter is a null reference (Nothing in Visual Basic).

Word(Int32)

Creates a new [PlcWordAddress](#) from this [PlcPeripheryInputOperand](#) using the `byteNumber` specified.

C#

```
public PlcWordAddress Word(int byteNumber)
```

Parameters

byteNumber Int32

The number of the byte to that the new [PlcWordAddress](#) refers.

Returns

PlcWordAddress

A new [PlcWordAddress](#) which refers to this operand and to the `byteNumber` specified.

Exceptions

ArgumentOutOfRangeException

The `byteNumber` is out of the bounds defined by [MinByteNumber](#) or [MaxByteNumber](#).

Operators

Equality(PlcPeripheryInputOperand, PlcPeripheryInputOperand)

Returns a value indicating whether two instance of [PlcPeripheryInputOperand](#) are equal.

C#

```
public static bool operator ==(PlcPeripheryInputOperand left, PlcPeripheryInputOperand right)
```

GreaterThanOrEqual(PlcPeripheryInputOperand, PlcPeripheryInputOperand)

Determines whether the first specified [PlcPeripheryInputOperand](#) object is greater than or equal to the second specified [PlcPeripheryInputOperand](#) object.

C#

```
public static bool operator >=(PlcPeripheryInputOperand left, PlcPeripheryInputOperand right)
```

LessThan(PlcPeripheryInputOperand, PlcPeripheryInputOperand)

Determines whether the first specified [PlcPeripheryInputOperand](#) object is less than the second specified [PlcPeripheryInputOperand](#) object.

C#

```
public static bool operator <(PlcPeripheryInputOperand left, PlcPeripheryInputOperand right)
```

Implicit(String to PlcPeripheryInputOperand)

Converts a string formatted as operand to an [PlcPeripheryInputOperand](#) object.

C#

```
public static implicit operator PlcPeripheryInputOperand(string value)
```

Exceptions

[FormatException](#)

The `value` is not a valid PLC operand.

Inequality(PlcPeripheryInputOperand, PlcPeripheryInputOperand)

Returns a value indicating whether two instances of [PlcPeripheryInputOperand](#) are not equal.

C#

```
public static bool operator !=(PlcPeripheryInputOperand left, PlcPeripheryInputOperand right)
```

LessThan(PlcPeripheryInputOperand, PlcPeripheryInputOperand)

Determines whether the first specified [PlcPeripheryInputOperand](#) object is less than the second specified [PlcPeripheryInputOperand](#) object.

C#

```
public static bool operator <(PlcPeripheryInputOperand left, PlcPeripheryInputOperand right)
```

Exceptions

[ArgumentNullException](#)

The `left` is a null reference (Nothing in Visual Basic).

LessThanOrEqual(PlcPeripheryInputOperand, PlcPeripheryInputOperand)

Determines whether the first specified [PlcPeripheryInputOperand](#) object is less than or equal to the second [PlcPeripheryInputOperand](#) object.

C#

```
public static bool operator <=(PlcPeripheryInputOperand left, PlcPeripheryInputOperand right)
```

Exceptions

[ArgumentNullException](#)

The `left` is a null reference (Nothing in Visual Basic).

Table of Contents

| | |
|--|---|
| Constructors | 1 |
| PlcPeripheryInputOperand(SerializationInfo, StreamingContext) | 1 |
| Methods | 1 |
| Byte(Int32) | 1 |
| CompareTo(Object) | 2 |
| CompareTo(PlcPeripheryInputOperand) | 2 |
| DWord(Int32) | 3 |
| Equals(Object) | 3 |
| Equals(PlcPeripheryInputOperand) | 4 |
| GetHashCode() | 4 |
| GetObjectData(SerializationInfo, StreamingContext) | 4 |
| Word(Int32) | 5 |
| Operators | 5 |
| Equality(PlcPeripheryInputOperand, PlcPeripheryInputOperand) | 5 |
| GreaterThanOrEqual(PlcPeripheryInputOperand, PlcPeripheryInputOperand) | 6 |
| GreaterThanOrEqual(PlcPeripheryInputOperand, PlcPeripheryInputOperand) | 6 |
| Implicit(String to PlcPeripheryInputOperand) | 6 |
| Inequality(PlcPeripheryInputOperand, PlcPeripheryInputOperand) | 6 |
| LessThan(PlcPeripheryInputOperand, PlcPeripheryInputOperand) | 7 |
| LessThanOrEqual(PlcPeripheryInputOperand, PlcPeripheryInputOperand) | 7 |