

PlcS5TimeRanges Members

Namespace: IPS7Lnk.Advanced

Assemblies: IPS7LnkNet.Advanced.dll, IPS7LnkNet.Advanced.dll

The [PlcS5TimeRanges](#) type exposes the following members.

Properties

OneHundredMilliseconds

Gets the range of time starts by 100 milliseconds and ends by 1m 39s 990 milliseconds.

C#

```
public static Range<TimeSpan> OneHundredMilliseconds { get; }
```

Property Value

[Range<TimeSpan>](#)

The range defined by the [OneHundredMilliseconds](#).

OneSecond

Gets the range of time starts by 1s and ends by 16m 39s.

C#

```
public static Range<TimeSpan> OneSecond { get; }
```

Property Value

[Range<TimeSpan>](#)

The range defined by the [OneSecond](#).

TenMilliseconds

Gets the range of time starts by 10 milliseconds and ends by 9s 990 milliseconds.

C#

```
public static Range<TimeSpan> TenMilliseconds { get; }
```

Property Value

[Range<TimeSpan>](#)

The range defined by the [TenMilliseconds](#).

TenSeconds

Gets the range of time starts by 10s and ends by 2h 46m 30s.

C#

```
public static Range<TimeSpan> TenSeconds { get; }
```

Property Value

[Range<TimeSpan>](#)

The range defined by the [TenSeconds](#).

Table of Contents

Properties	1
OneHundredMilliseconds	1
OneSecond	1
TenMilliseconds	1
TenSeconds	2

