

PlcValueMember Members

Namespace: IPS7Lnk.Advanced

Assemblies: IPS7LnkNet.Advanced.dll, IPS7LnkNet.Advanced.dll

The [PlcValueMember](#) type exposes the following members.

Constructors

PlcValueMember(PlcName, IPlcValue)

Initializes a new instance of the [PlcValueMember](#) class using the `name` and `value` specified.

C#

```
public PlcValueMember(PlcName name, IPlcValue value)
```

Parameters

`name` [PlcName](#)

The name of the member.

`value` [IPlcValue](#)

The [IPlcValue](#) to be represented.

Exceptions

[ArgumentNullException](#)

The `name` or `value` is a null reference (Nothing in Visual Basic).

Properties

Value

Gets the value represented by the member.

C#

```
public IPlcValue Value { get; }
```

Property Value

[IPlcValue](#)

The [IPlcValue](#) represented by the member.

Methods

GetValueCore(PlcObject)

Retrieves the value of the member supported by the given `instance`.

C#

```
protected override object GetValueCore(PlcObject instance)
```

Parameters

`instance PlcObject`

The `PlcObject` from that the value of the member is to be retrieved.

Returns

`Object`

The value of the member supported by the `instance`.

HasValueCore(PlcObject)

Retrieves a value indicating whether the member supported by the given `instance` is associated with a value.

C#

```
protected override bool HasValueCore(PlcObject instance)
```

Parameters

`instance PlcObject`

The `PlcObject` its member value is to be tested.

Returns

`Boolean`

The value true, if a value is associated with the instance using this member; otherwise the value false.

MakeAbsoluteMember(PlcIdentity)

Retrieves the `PlcValueMember` as an absolute addressable PLC member.

C#

```
public override IPlcMemberInfo MakeAbsoluteMember(PlcIdentity identity)
```

Parameters

`identity PlcIdentity`

The `PlcIdentity` to use to define the absolute location. This identity is used to define the basis starting from that the member is located.

Returns

`IPlcMemberInfo`

In case there `IsAbsolute` is equals true the reference to this member; otherwise a new instance of the member which refers to an absolute `PlcType`.

Exceptions

`ArgumentException`

The `identity` specified does not provide the necessary information required to address the type of data.

`ArgumentNullException`

The `identity` is a null reference (Nothing in Visual Basic).

RelocateCore(PlcAddress)

Relocates the member to the `address` specified.

C#

```
protected override PlcMember RelocateCore(PlcAddress address)
```

Parameters

`address PlcAddress`

The `PlcAddress` to that the member is to be relocated.

Returns

`PlcMember`

A new instance of the same type as this PLC member instance relocated to the `address` specified.

SetValueCore(PlcObject, Object)

Stores the `value` of the member supported by the given `instance`.

C#

```
protected override void SetValueCore(PlcObject instance, object value)
```

Parameters

instance PlcObject

The PlcObject into that the value of the member is to be stored.

value Object

The value to store.

ToString()

Returns a string that represents the PlcValueMember.

C#

```
public override string ToString()
```

Returns

String

A string that represents the PlcValueMember.

Table of Contents

Constructors	1
PlcValueMember(PlcName, IPlcValue)	1
Properties	1
Value	1
Methods	2
GetValueCore(PlcObject)	2
HasValueCore(PlcObject)	2
MakeAbsoluteMember(PlcIdentity)	2
RelocateCore(PlcAddress)	3
SetValueCore(PlcObject, Object)	3
ToString()	4

