



API Browser

Driver API

- [Categories](#)
- [Namespace](#)

Driver Data Requests

IPS7Lnk Namespace

- General
 - [IPS7](#)
 - [IPS7.AM](#)
 - [IPS7.DA](#)
 - [IPS7.Result](#)
- Data
 - [PCDataType](#)
 - [S7DataTypes](#)
- Requests
 - [IPS7_RQ_MULTI](#)
 - [IPS7RdMulti](#)
 - [IPS7_WR_MULTI](#)
 - [IPS7WrMulti](#)

Advanced API

- [Categories](#)
- [Namespace](#)

Advanced Addressing Data

IPS7Lnk.Advanced Namespace

- General
 - [PlcDevice](#)
 - [IPlcDevice](#)
 - [PlcDeviceConnection](#)
 - [PlcDeviceConnectionChannel](#)
 - [PlcDeviceConnectionState](#)
 - [PlcDeviceEndPoint](#)

- IPDeviceEndPoint
- DnsDeviceEndPoint
- PlcDeviceInfo
- IPlcDeviceInfo
- PlcBlockInfo
- Licenser
- PlcException
- PlcStatus
- PlcStatusCode
- IPlcStatusProvider
- PlcNotifications
- Simatic Device
 - SimaticDevice
 - SimaticDeviceConnection
 - SimaticChannelType
 - SimaticDeviceType
 - SimaticBlockInfo
- Virtual Device
 - VirtualDevice
 - VirtualDeviceConnection
 - VirtualBlockInfo
- Addressing
 - PlcAddress
 - PlcAddressFormat
 - PlcOperand
 - PlcOperandStandard
 - PlcOperandType
 - PlcOperandTypes
 - PlcRawType
 - PlcRawTypeExtension
 - PlcRawTypes
 - IECOperandTypes
 - SiemensOperandTypes
- Data
 - Type
 - PlcType
 - PlcTypeCode
 - Object
 - PlcObject
 - PlcMember
 - PlcMemberAttribute
 - PlcValueMember
 - Value
 - IPlcArray
 - IPlcValue
 - PlcBoolean
 - PlcBooleanArray
 - PlcByte
 - PlcByteArray

- PlcChar
- PlcCharArray
- PlcDate
- PlcDateTime
- PlcDouble
- PlcDoubleArray
- PlcInt16
- PlcInt16Array
- PlcInt32
- PlcInt32Array
- PlcInt64
- PlcInt64Array
- PlcLReal
- PlcLRealArray
- PlcReal
- PlcRealArray
- PlcS5Time
- PlcS5TimeOrigin
- PlcS5TimeRanges
- PlcString
- PlcTime
- PlcTimeOfDay
- PlcUInt16
- PlcUInt16Array
- PlcUInt32
- PlcUInt32Array
- PlcUInt64
- PlcUInt64Array

Table of Contents

Driver API	1
Advanced API	1